

Efficiency Optimization for Operation Technicians in Radiology and Imaging Departments: A Review study of Strategies, Factors Influencing, Challenges, Current Roles, Responsibilities and Future Directions

Aeshah Naser A. Albalawi¹, Amal Hammad Albalawi^{1*}, Norah Saeed Alqahtani¹, Nabilah Sanat Owayhan Alharbi¹, Munayfh Zaal A. Albalawi¹, Nawal Ali Aletewi¹, Zaidah Zaid Alkhaibari¹, Hajar Eidali Alatawi¹, Saleh Abdullah A Alyousef¹, Abdulaziz Matar Al Alanazi², Bandar Aziz Alharbi³, Abdalziz Moubark Wasil Aljohani⁴, Sati Muqbil Sulaiman Alsaedi⁵, Bashaier Hamdi Hamd Al Amri⁶, Gamilaha Abdullah Delim Al-Harbi⁷

¹Tabuk Health Cluster, CGX7+C8M, King Khalid Rd, Alqadsiyyah, Tabuk 47717, Saudi Arabia

²Al Khafji General Hospital, Amr bin Al-Aas Street, Al Khalidiyah, Khafji 39256, Saudi Arabia

³Madinah Health Cluster, Ministry of Health, Saeed bin Al-Aas, Al Jamiah, Madinah 42351, Saudi Arabia

⁴Al-Daitha Health Center, Health security, Saudi Arabia

⁵Abar Al Mashi Health Center, Al Madinah Al Munawarah, Madinah, Saudi Arabia

⁶Al-Aqdah Health Center, Al Madinah Al Munawarah, Madinah, Saudi Arabia

⁷Al-Hanakiya General Hospital, Al Henakiyah 42644, Saudi Arabia

*Corresponding author: E-mail: amhmalbalawi@moh.gov.sa

Abstract

This study analyzed the roles, responsibilities, and efficiency optimization strategies for operation technicians in radiology and imaging departments. Technicians played a very important role in ensuring the safety of patients, equipment maintenance, and obtaining good quality diagnostic images. The efficiency of these technicians was affected by technological advancements, training, departmental layout, and communication among healthcare teams. Strategies such as workflow standardization, technology integration, and effective scheduling were implemented to enhance efficiency and reduce errors. Some of the challenges encountered included financial constraints and resistance to change. The conclusion drawn was that continuous training, new technologies, and teamwork all impact on the improvement of performance and the outcomes in healthcare. In brief, the operational efficiency of the technicians of the radiology and imaging departments is crucial since it will influence timely patient care, enhance departmental workflows, and increase patient satisfaction. Their operational efficiency in managing complex interaction streams and optimizing processes has a direct impact on healthcare delivery quality, thus making them integral to the modern medical landscape. In general, the literature indicates that it is a serious challenge; poor communication can lead to increased diagnostic errors and delays, which compromise patient safety and quality care.

Keywords: Radiology Technicians, Imaging Efficiency, Workflow Optimization, Diagnostic Imaging, Patient Safety, Technology Integration

1. Introduction

These technicians play a very crucial role in radiology and imaging departments. They are a core staff in the conduct of imaging procedures, which involve patient safety and operation efficiency. Their job responsibility encompasses a wide range of technical and clinical activities essential to the effective operation of radiology services. Radiology technicians operate a variety of imaging equipment like X-ray, CT scans, and MRIs. They provide necessary education on safe modalities of doing these imaging procedures for patients and themselves. Rigid protocols for safe radiation use and infection control are especially applicable given the new challenges of infectious disease such as appropriate countermeasures against COVID-19. For example, during the pandemic, technicians had to take precautionary measures, such as using personal protective equipment (PPE) and disinfecting equipment, to minimize the risk of transmission of the virus (Alhasan & Hasaneen, 2021; Goh et al., 2020). Their role in managing these safety protocols is critical because they often come into close contact with patients during imaging procedures, thus increasing their exposure to possible health risks (Ramos et al., 2022).

In addition, the operational efficiency of radiology departments is highly influenced by the contributions of technicians. They are involved in workflow optimization, which might result in reduced waiting times for patients and improved service delivery. Proposals have been made for advanced practice roles for technicians to better organize and optimize the departments, with a consideration that their input in the decision-making process of operations will have better resource management and more favorable patient care outcomes (Yielder et al., 2014; Amadou et al., 2021). It is particularly relevant in the public healthcare settings, as in radiology, technicians

constitute the majority of the workforce. In addition to technical skills, radiology technicians must have a proper understanding of the imaging modalities they operate. This includes knowledge related to health hazards associated with radiation exposure and safety procedures to protect themselves and their patients. Many technicians have known the general safety precautions, while gaps may be observed in knowing the more specific risks linked to every type of imaging technology ("Knowledge of Radiology Technicians Regarding Radiation Health Hazards and Radiation Safety Measures in Ain-Shams University Hospitals", 2018). Therefore, continuous education and training would be very important to ensure that the technicians remain competent and informed of the latest safe standards and technological advancements (Amadou et al., 2021).

Another factor to keep in mind is that this job is physically demanding; musculoskeletal disorders are frequently seen in radiology technicians due to heavy equipment handling and patient assistance (Anderson et al., 2019). Thus, ergonomic practice and training are vital to address health concerns and well-being maintenance of technicians while offering consistent operational performance across radiology departments. These operation technicians are technicians whose work forms an important part of the department of radiology and imaging. They perform technical tasks, focused on ensuring patient safety and contribute to the efficiency of operations. Their functions are diverse and include technical expertise, knowledge of safety standards, as well as physical awareness of their tasks. Continuous education, as well as support, should be given to these technicians to empower them in their roles, thus improving the quality of the radiology services offered.

The roles of operation technicians in radiology and imaging departments are important for various reasons, mainly related to patient outcomes and the overall workflow of the department. The efficiency of the imaging processes is directly related to how timely the diagnosis and treatment are, which is an important factor in emergency and trauma settings. Long times for imaging can imply patients being held in hospital any longer, increased medical expense, and perhaps worse consequences for health in general (Romadhoni et al., 2021; Jalal et al., 2020). In an emergency department, the patient arrives at a time waiting between admission to diagnostic images plus results' time and has a massive contribution towards outcomes of the patients. Adequate imaging processes would reduce the overcrowding risks in EDs, thus ensuring timely care for the patients (Romadhoni et al., 2021). The roles of operation technicians in radiology and imaging departments are very important because their efficiency impacts several aspects, most significantly patient outcomes and the way the department functions. Efficiency in the imaging process is directly proportional to the speed of diagnosis and treatment, which is extremely important in emergency and trauma cases. Delayed imaging can cause long hospital stays, high costs of healthcare, and adverse health outcomes for the patient (Romadhoni et al., 2021; Jalal et al., 2020). The time from a patient's arrival in the emergency department to the time of diagnostic imaging and reporting of results has major impacts on patient outcomes. Efficient imaging processes could reduce overcrowding risks in EDs to treat patients expeditiously (Romadhoni et al., 2021).

This goes beyond direct impacts on the care of a patient to also affect performance at the radiology departmental level. High caseloads call for streamlined workflow to avoid delays which might risk the safety and satisfaction of patients (Doshi et al., 2018). For instance, it has been established that integrated radiology information systems may increase the efficiency of the workflow, thereby reducing the imaging delays and improving both patient throughput and satisfaction, as pointed out by Romadhoni et al. in 2021. Plus, the simulation models applied to resource optimization in radiology departments have shown how strategic planning can greatly optimize the functioning of operations, thus managing effectively elective and emergency cases better (Luo et al., 2018). Moreover, the link to technician efficiency and patient care is increasingly acknowledged. Currently, the health sector operates in a more changing dynamic where there is a strong impetus for radiologists as well as technicians to increasingly interact with patients directly on matters of care in mutualistic approaches (Kemp et al., 2017). This improves patient satisfaction and quality of care also because patients are more involved and have first-hand information about the service delivery processes.

2. Current Roles and Responsibilities

The operation technicians in the radiology and imaging departments perform several key duties that are required for these facilities to work optimally. These range from setting up equipment, preparing patients, and acquiring images; all of which play crucial roles in ensuring high-quality images and patient safety.

2.1. Equipment Setup

Among the key functions of operation technicians is the preparation and maintenance of imaging equipment. The proper functioning and calibration of equipment like X-ray, CT, and MRI scanners for accurate imaging will be the key responsibility. Operation technicians need to understand what each modality demands in terms of settings requirements during different types of exams (Parlangeli et al., 2019). Proper equipment setup determines the quality of images produced in addition to the safety concerns of the procedures performed. For example, ensuring

that proper ventilation prevails in an imaging room and all safety precautions are enforced will serve to minimize concerns associated with radiation exposure, such as Keskiner et al. (2004).

2.2. Patient Preparation

Another critical duty of operation technicians is preparing patients for imaging procedures. This includes explaining the procedure to patients, addressing any concerns, and ensuring that they are comfortable and properly positioned for the imaging process. Patient preparation also includes verifying patient identity and medical history to prevent errors and ensure that the correct imaging studies are performed (Parlangeli et al., 2019). The ability of the technologist to communicate with patients is thus crucial in lowering anxiety as well as assuring that the patient would cooperate as much as possible during this imaging process to ensure image quality (Parlangeli et al., 2019).

2.3. Image Acquisition

Image acquisition is the core function of operating technicians, who operate the imaging equipment to obtain images as per the established protocol and safety guidelines. It is technically demanding and very sensitive because the technician must adjust settings according to the requirements of each examination and the condition of the patient (Parlangeli et al., 2019). The quality of the images may influence diagnostic accuracy and later treatment decisions, so a technician's role in this phase is particularly important, as pointed out by Parlangeli et al., 2019. In summary, the operations technicians' major duties in a radiology and imaging departments include setting up equipment and preparing patients and acquiring images. Each of these involves critical functions to ensure safe and comfortable patient care; quality and accuracy of diagnostic images obtained. Effective duty execution ensures good patient care and promotes general efficiency and productivity in the radiology department. The responsibilities of operation technicians in radiology and imaging departments vary significantly with different modalities, such as X-ray, MRI, CT, and ultrasound. The technical skills, knowledge of equipment, and patient interaction protocols in each modality are all unique to the characteristics of the imaging technique.

2.4. X-ray Technicians

Primarily in X-ray imaging, technicians prepare machinery and verify its operational standards. This entails calibrating the machine, setting exposure for the patient sizes concerning the region being imaged Alrawaili (2023). Patient preparation forms a vital role to play; they must be positioned correctly to produce high-quality images with minimum radiation exposure. This is usually explained to patients so that they can appreciate the significance of remaining very still while the image is being taken (Janczak et al., 2020). Taking care of wildlife is also another aspect of the work of the X-ray technician along with making sure that all safety measures are taken to protect the technician as well as the patient from unnecessary radiation exposure (Naidich et al., 2020).

2.5. MRI Technicians

MRI has unique features in terms of imaging specified operations for MRI technicians. They are also assigned a specific task: making sure that the MRI machine is calibrated correctly and that the safety precautions concerning metal objects in the MRI are followed, as these can interfere with the magnetic field. (Kaijser, 2024) Patient preparation should also include screening for contraindications, such as the presence of implanted devices or claustrophobia. It is also important to reassure anxious patients about the confined space of the MRI machine. The technicians also help to monitor the patients for their safety and comfort in the scan (Fabião et al., 2023). The complexity of MRI imaging requires technicians to have a deep understanding of the technology and the ability to adjust imaging parameters to optimize image quality.

2.6. CT Technicians

Compared to an X-ray technician, the responsibilities of a CT technician involve working on more complex equipment, requiring more complex operations. They are responsible for preparing the equipment for CT scan as well as selecting the applicable procedures to ensure that they are done properly, which may necessitate the use of an injected contrast (Alshabi et al., 2022). Patient preparation is considered paramount especially when using contrast agents; the patient has to be hydrated and examined for allergy. In real-time during the imaging, the technicians have to check on the patient and modify parameters to enhance image acquisition during the scan (Madhuripan et al., 2020). The image processing further involves post-processing of the images to enhance diagnostic quality.

2.7. Ultrasound Technicians

Ultrasound technicians, or sonographers, have different tasks that are centered on real-time imaging. They are trained to operate ultrasound machines and interpret the images produced during the examination. This requires a good understanding of human anatomy and the ability to manipulate the ultrasound transducer to obtain the best possible images (Tok et al., 2015). Patient interaction is a critical part of their job as they must explain the procedure to the patient and ensure their comfort during the examination. They usually work in close conjunction with physicians to provide feedback on the images obtained on time, which can make all the difference in emergencies (Results from a European survey", 2013). In summary, the role of an operation technician in a radiology

and imaging department involves setting up equipment, preparing patients, and taking images, though the modalities greatly determine the nature of the task. Imaging techniques vary significantly, with each having a unique combination of knowledge and skills necessary for good image quality and patient safety.

3. Factors Influencing Efficiency

3.1. Technological Factors

Use of modern imaging technologies enhances technician efficiency in radiology and imaging departments. The various present-day technologies improve the workflows, image quality, and better patient management, thus leading to effective health care delivery.

3.2. Streamlined Workflows

Modern imaging technologies, such as digital radiography and advanced software, have transformed traditional workflow in radiology. Digital systems allow for faster image capture and processing, reducing the time technicians spent on each procedure. Getting rid of chemical processing has given technicians more time to work with patients rather than wasting it on technical matters (Adambounou et al., 2014). This is because integrated imaging systems improve access to patient data and history of imaging, and hence improve quicker decision-making through coordination with radiologists and other health professionals (Zhong et al., 2020).

Table 1: Roles and responsibilities of radiology operation technicians.

Role	Description	Examples
Equipment Setup	Preparing and maintaining imaging equipment to ensure accurate imaging and safety (Parlangeli et al., 2019).	Calibrating X-ray, CT, or MRI machines.
Patient Preparation	Preparing patients for imaging procedures, ensuring their comfort, and addressing their concerns (Parlangeli et al., 2019).	Explaining procedures and positioning patients.
Image Acquisition	Capturing high-quality diagnostic images following safety and technical protocols (Parlangeli et al., 2019).	Adjusting machine settings per exam type.
Safety Protocols	Implementing radiation safety and infection control measures (Keskiner et al., 2004).	Wearing PPE and sanitizing equipment.
Workflow Management	Ensuring smooth operations by reducing patient waiting times and optimizing schedules (Yielder et al., 2014).	Coordinating with staff for seamless transitions.

3.3. Improved Image Quality

Diagnostic image quality has further improved using high-resolution imaging technologies: 3D imaging and state-of-the-art MRI techniques, among others. These make it possible for technicians to create sharper images that contribute to precise diagnosis ("Three-dimensional Digital Reconstruction and Application of AR_MR Technology in Medicine", 2023; Chen-Yoshikawa, 2024). With high-quality images, radiologists are better informed to make decisions and minimize the repetition of scans, thus saving more time and resources. This is very important in high volume settings, where the fast acquisition of high-quality images can greatly influence patient throughput and overall departmental performance (Dzefi-Tetty et al., 2022).

3.4. Facilitated Patient Management

Modern imaging technologies also enhance patient management by streamlining scheduling and workflow processes. For instance, tele-radiology helps technicians perform imaging from remote locations, which can be especially helpful in rural or underserved areas where imaging services may be scarce (Adambounou et al., 2014). Such capabilities will not only extend imaging services but also make time management possible for technicians. Moreover, when they integrate AI in their imagers, it will assist in their analysis of images and ultimately reduce the cognitive load attributed to the interpretation of images as it will be performed without too much mental effort on their part (Lepri, 2024).

3.5. Enhanced Training and Adaptability

Imaging technologies' development is so fast; there is a need to continue training the technicians until they become more competent, versatile, and more innovative in their practice. Time is the best teacher and allows them to apply themselves even better in workflows and be even more effective with clients ("Three-dimensional Digital Reconstruction and Application of AR_MR Technology in Medicine", 2023). Such a scenario serves to foster an efficient culture and helps in the creation of technically more highly equipped people regarding their management of the challenges of modern radiology practices. The integration of modern imaging technologies into radiology and imaging departments makes the workflow of the technicians more efficient by streamlining it, providing better

quality images, making patient management easier, and providing an environment for continuous learning. Such developments benefit the technicians but also lead to good outcomes in patients and the proper delivery of healthcare services.

3.6. Human Factors

Training, experience, and different skill levels are essential features that directly influence the operational performance of technicians in any radiology and imaging service. They affect not only the delivery of care, but also speed up image processes and results, influencing patient outcomes.

3.7. Training

Full-scale training programs for equipping the necessary knowledge and skills in handling complex imaging equipment are indispensable. It is noted that technicians tend to perform well when they are put through a structured learning approach, comprising theory and practical parts. As an illustration, it has been indicated that, of those technicians who successfully underwent accredited training, there existed better competency than those subjected to minimal on-the-job training (Amadou et al., 2021). This structured training goes beyond the technical skills it provides and gives a better grasp of safety protocols, communication with patients, and the intricacies of various imaging modalities (Amadou et al., 2021). Moreover, continuing education is required to ensure that technicians stay abreast of developments in imaging technologies and best practices, which can improve performance significantly (Amadou et al., 2021).

3.8. Experience

Experience levels of the technicians also form one of the key determinants of the performance. The more the experienced the technicians, the better will they be at troubleshooting faults of the equipment, managing care for patients, and adapting the imaging process to individual needs. There is a finding that says that extensive experience holders are effective in solving unanticipated situations as well. They can handle unexpected patients with specific needs and malfunctioning equipment also (Parlangeli et al., 2019). Experience also enhances the working capacity of a technician in a pressured environment, especially in a high-volume setting such as emergency departments, where decisions need to be made quickly (Parlangeli et al., 2019). Experienced technicians tend to intuitively understand the imaging process and thus have better workflow and reduced imaging times (Amadou et al., 2021).

3.9. Skill Levels

Technicians' skill levels, as determined by the interaction between training and experience, impact performance in imaging modalities. For instance, technicians operating MRI machines have to know everything about technology-specific requirements, such as patient safety factors associated with magnetic fields (Kaijser, 2024). Similarly, one needs technical skills and expertise in ultrasound interpretation as the ability to interpret images in real-time, as well as the capacity to report back to doctors (MD PhD programmes with relevance to imaging. Results from a European survey", 2013). These high levels of skill then allow the technician to deliver complex imaging tasks more quickly and accurately, and results in improved diagnostic outcome for patients (Parlangeli et al., 2019).

One of the major issues identified in the literature is that miscommunication among healthcare professionals leads to medical mistakes. Fatahi et al. point out that adverse patient outcomes are mainly caused by ineffective communication between referring clinicians and radiologists, underlining the necessity of improved communication strategies to enhance patient safety and care quality (Fatahi et al., 2019). Likewise, Arkoudis states that interdepartmental miscommunication may result in diagnostic errors and therefore proper communication channels are important between healthcare practitioners (Arkoudis, 2024). This is also echoed by Neill et al., who stated that communication interruption that happens frequently may affect the workflow of both radiologists and emergency physicians and might result in longer patient turnaround times and overcrowding in emergency departments (Neill et al., 2020).

In addition, integration of technologies, such as PACS Picture Archiving and Communication Systems has been used to enhance effective communication and co-ordination. As Alim states, the effectiveness of service delivery in radiology is highly enhanced by the availability of image access in radiology on a rapid basis, for instance, an important procedure in diagnosis and treatment processes within the shortest time ever (Alim, 2024). This technology improvement will enhance teamwork in healthcare, since radiologists will be able to communicate their findings better with referring clinicians for enhanced quality of care (Alim, 2024).

Another significant aspect of relational coordination is in helping to communicate effectively. The above authors posit that health practitioners and professionals have always regarded relationship, communication, and knowledge shared as some of the main elements required for efficient cooperation and care coordination (Persson et al., 2022). This is in agreement with the study of Jakobsen et al., which has emphasized that shared goals, knowledge, and mutual respect among team members can only be achieved through effective collaboration, which is made possible through timely and precise communication (Jakobsen et al., 2018). In addition, the communication effect goes

beyond direct clinical contact. Castillo et al. have shown that including extra clinical information in the report could make the quality of radiology reports significantly better, indicating that a better communication between radiographers and radiologists could make a difference in terms of better diagnosis (Castillo et al., 2020). This is specifically crucial in complicated cases requiring detailed information for proper interpretation. In conclusion, the impact of communication and coordination with radiologists and other healthcare professionals is deep. Effective communication does not only reduce the possibility of error but also improves the effectiveness of health care delivery to end in better patient outcomes. Integrating technology and relational coordination can further enhance these pathways of communication so that the health care professionals work towards the same goals in the delivery of care to patients.

3.10. Environmental Factors

The layout of a department and the placement of equipment are very important in creating technician workflows, especially in the radiology and diagnostic imaging environment. An optimized design of a department can significantly enhance efficiency, reduce bottlenecks, and improve overall patient care. Firstly, the physical layout of machinery and workstations is an element that minimizes unnecessary moves and facilitates the flow of things. Granja et al consider that optimized workflow with the layout of equipment in diagnostic departments helps in the alleviation of bottlenecks such as a patient's admission and scheduling (Granja et al., 2013). This is supported by Li et al., who demonstrate that the implementation of a computerized workflow management system can redefine sonography workflows, indicating that both layout and technology integration are necessary for optimizing technician efficiency (Li et al., 2013).

Furthermore, the impact that departmental layout has relates to the ergonomics of the work environment; a well-designed layout ensures that technicians do not carry excessive physical strain, leading to their productivity and their job satisfaction. Even if Bertsch and McKeirnan's paper is focused on pharmacy-related settings, it does express that optimizing workflows can lead toward improved efficiency and technician satisfaction, which may indicate similar conditions in other healthcare settings, as well (Bertsch & McKeirnan, 2020). Further, Mühlemann et al. established that non-optimized workflows frequently cause longer working times compared to optimized workflows; therefore, layout and placement of equipment can directly influence the efficiency of time for technical tasks (Mühlemann et al., 2019).

In addition, advanced technologies, such as web-based communication systems, can improve the efficiency of departmental layouts. Rybkin and Wilson explain how a flexible communication system in radiology can facilitate better coordination among technicians and radiologists, hence improving workflow efficiency (Rybkin & Wilson, 2010). This means that although physical layout is essential, technology support for communication and coordination is equally important for the optimization of workflows. The overall structure of a department and how equipment is placed within a department can influence technician workflows in radiology and diagnostic imaging. It optimizes the layout to avoid unnecessary movements and enhances ergonomics as well as technology, thus enabling communication and coordination. This combination results in better efficiency, less bottlenecks, and greater care for the patient.

4. Strategies for Efficiency Optimization

4.1. Workflow Standardization

Standardized procedures help to increase the predictability and speed of many processes in manufacturing, health care, and logistics environments. Organizations can reduce the degree of variability, prevent mistakes, and make more streamlined workflows, which ultimately mean more efficient operations. The other essential advantage is that it limits variability in operational processes. Based on the report of Mor et al., implementing standardized work procedures into manufacturing facilities has minimized waste since the procedures have fewer errors; therefore, employees could easily operate without waste across shifts and teams due to clear guidelines (Mor et al., 2019). This would make productivity more consistent and even allow new employees to be trained with relative ease because they could look at documented procedures to know what their job entails. In addition, according to Akib's study, SOPs in logistics have been found to contribute to efficiency and reduce errors that are a requirement for keeping operations consistent (Akib, 2023).




Figure 1. This flowchart illustrates the step-by-step workflow of radiology operation technicians, highlighting critical processes from patient check-in to discharge or follow-up.

Standardization of procedures in the healthcare sector has been proven to greatly enhance outcomes. For example, Iwasaki et al. reported that standardization of surgical protocols in thoracic surgery led to the reduction of the operation times and improved the outcome for patients (Iwasaki et al., 2015). Similarly, Hiki et al. reported that standardized operative procedures in laparoscopic surgeries resulted in shorter operation times and less complications, showing the strength of SOPs in maximizing both speed and safety in medical operations (Hiki et al., 2008). The development of standard procedures provides healthcare workers with the ability to spot best practices and compare performance that can result in ongoing improvement in surgical results.

In addition, adopting standardized protocols can make internal and external communication better coordinated. When team members possess a common understanding of what things to do, their inter-coordination will work very effectively, and the amount of time spent on making an agreement on roles and duties is reduced. It also has significant importance for team collaboration in complex situations of a hospital, for patients' safety and quality of patient care. Standardized protocols ensure that, in case of any changes or unexpected situations, all members of the team can quickly adapt because they know of established procedures by which to guide their actions.

4.2. Technology Integration

In the modern healthcare world, many technologies have emerged to streamline activities and enhance efficiency. Among such technologies are Picture Archiving and Communication Systems (PACS), Radiology Information Systems (RIS), and automated positioning systems, which have become essential in changing the health care delivery system. PACS is part of the management of medical imaging data, allowing it to store, retrieve, and share images across various healthcare facilities efficiently. This cuts down on the time spent accessing patient images, thus shortening clinical decision-making cycles. The use of PACS has been demonstrated to improve workflow efficiency by minimizing the reliance on physical film and providing remote access to imaging data, which becomes critical in emergency situations (Huser et al., 2011). In addition, the integration of PACS with other healthcare information systems ensures a smooth flow of information, thus improving the outcomes of patient care (Bejarano, 2023).

RIS is also very central to managing radiological data, smoothing workflow within radiology departments. This happens by automating scheduling, tracking, and reporting processes so that administrative burdens imposed on healthcare professionals are reduced while the time left is spent caring for patients. The integration between RIS and PACS increases efficiency in operations, as the imaging data would be immediately available for review and further follow-up, thereby increasing the reduction of delay between diagnosis and treatment (Shinners et al., 2022). There is also evidence that RIS reduces patient waiting time and allows for proper communication of the image procedure with the patient, increasing patient satisfaction (Lakkaraju et al., 2016).

Automated positioning systems that rely on AI and machine learning enhance the operational workflows of healthcare settings. These systems may be used to position patients accurately for imaging procedures, thereby reducing the chances of errors and improving the quality of diagnostic images. The introduction of AI in these systems ensures a streamlined workflow and better diagnostic accuracy and efficiency (Bejarano, 2023). Automated systems may also reduce the burden of workload for health care staff, freeing time and resources for other important issues (Shinners et al., 2022). Adoption of these technologies is not without its challenges.

The most important ones include concerns over data privacy, the need for stringent validation of AI algorithms, and investment in infrastructure and training (Shipilov, 2023). However, the potential benefits of these technologies such as improved patient outcomes, enhanced operational efficiency, and reduced medical errors underline the need for healthcare organizations to invest in and adapt to these innovations (Ma & Yang, 2013). The integration of PACS, RIS, and automated positioning systems into healthcare is one step toward the streamlined running of operations. It improves efficiency in workflow, thus leading to improved patient care outcomes. They facilitate timely access to information critical for making the right decisions and minimize errors that can occur in practice. Thus, with time, it will be a system implemented to meet the demands of modern medical practice.

4.3. Training and Education

Properly designed training programs for upgrading the skills and adaptability of operation technicians are very crucial in making sure that the operation professionals will be able to efficiently serve in different health and technical areas. The comprehensive approach towards training consists of several aspects such as practical skills, continuous professional education, and advanced technologies. Probably the best strategy in training technicians for operations would be an organizational effort to implement formal training curricula that emphasize both technical training and practical hands-on practice. Graham et al., for instance, underscore that technical training should be fundamental in maintenance and repair while building technician capacity and motivation (Graham et al., 2017). Such training may be designed as a package of initial training sessions complemented by ongoing supervision and retraining opportunities to keep the technicians up to date on their skills over time. This model not only helps the technicians improve their technical ability but also creates a culture of continuous learning and improvement.

Furthermore, prior learning assessments can help identify the learning needs of trainees, thereby improving the effectiveness of training programs. Raymond and Woloschuk explain how PLAs can be used to design specific training programs that meet the skills gaps of technicians (Raymond & Woloschuk, 2011). The learning needs of individuals and groups can be assessed to ensure that training is relevant and effective, hence improving the competency of the workforce. Professional development opportunities are also important to increase the adaptability of operation technicians. Kogan et al. point out that offering self-improvement and career mobility avenues may reduce burnout and improve job satisfaction (Kogan et al., 2020). Training programs with leadership and management components will enable technicians to take on more responsibilities and adapt to changing workplace dynamics, thereby contributing to better operational outcomes.

Moreover, training programs need the integration of technology to prepare technicians for modern challenges. According to D'Assunção et al., "the content used in educational materials must be adjusted so that it reflects the contemporary practices and technologies, such as using simulations and actual applications of new technologies in real life" (D'Assunção et al., 2015). This is because simulation and practical application can improve learning as well as ensure technicians have the right skills to work with current operational requirements. Another aspect not to be ignored is the role of digital content delivery in training programs. Kelm and Bush describe how the digital platform can facilitate pharmacy technician training, with flexibility in learning opportunities tailored to individual needs (Kelm & Bush, 2019). This can be applied to a wide range of technician training programs, thus reaching more individuals and making the process more efficient. Therefore, it becomes evident that upgrading the abilities and dexterity of operation technicians needs to be taken in combination through structured training, continuous professional development, and the absorption of technology. When these dimensions are targeted, the organization will ensure that their technicians possess skills as well as adaptiveness to the dynamic expectations of job performance.

4.4. Staffing and Scheduling

One of the key components in making the technician productive in these health care and operational setups is optimum staffing and scheduling. Proper staffing and timing help improve workflow efficiency by ensuring the right number of technicians at the right times, reduce burnout and increase job satisfaction, both of which contribute to positive outcomes from job performance. One of the most important characteristics of ideal staffing is technician availability and alignment with peak operational demand. According to Peng et al., in a competitive healthcare environment, adequate levels of staffing are necessary to absorb fluctuating demand and ensure operational performance Peng et al. (2022). By aligning staffing with patient flow and service demands, technicians can operate more effectively, reducing wait times and improving service delivery.

In addition, effective shift scheduling is an important tool to maintain the productivity of technicians. According to Costa, when the shift schedules are properly managed, considering the factors of ergonomics and health surveillance, the negative impacts of the shift work on health and performance can be reduced (Costa, 2010). Thus, organizations will increase the concentration and effectiveness of their technicians by minimizing those negative impacts of irregular working hours, such as drowsiness and sleep deprivation. This applies especially in areas requiring high concentration and precision with the type of work that technicians are required to do. The psychological effects of staffing and scheduling cannot be avoided. Kogan et al. explain how control of one's schedule can greatly lead to a reduction in technician stress and burnout, as well as how schedules that are created by them can increase the productivity rate of technicians (Kogan et al., 2020). This is a sense of autonomy, which is critical in high-stress environments where the demands of the job can lead to emotional exhaustion if not managed properly.

In addition to this, the incorporation of technology in staffing and scheduling can further improve productivity. Role et al. support the fact that conventional approaches to staffing are not applicable in complex healthcare settings; innovative approaches that make use of technology can improve clinical outcomes of staffing (Role et al., 2021). Through data analytics and scheduling software, organizations can optimize technician assignments as per real-time demand as well as historical data such that staffing levels are at once efficient and responsive to changing conditions. Furthermore, sound staffing policies can enhance technicians' job satisfaction and turnover rates. According to Bogaert et al., the quality of care improves, and employees are more engaged at work where the work environment is amenable by having a manageable workload and an adequate staff (Bogaert et al., 2017). In situations where a technician is less burdened, he would be better able to deliver his job, which automatically increases the performance level as well as reduces the likelihood of employee turnover.

5. Quality Assurance and Patient Safety

Efficiency optimization in the processes of imaging and diagnosis does affect the quality of images and diagnostic accuracy. Smooth workflow, reduced turnaround time, and integration of advance technologies in healthcare facilities could make the diagnosis more accurate, which would ultimately bring out better patient outcomes. This initial way efficiency optimization influences diagnostic accuracy is through its effect on minimizing errors related to imaging techniques. Wang et al. note that the deployment of some imaging modalities, such as MRI and CT, brings in diverse forms of accuracy depending on the clinical scenario Wang et al. (2018). Efficiency being optimal, service providers would choose which imaging option best fits for each of their patients and lessens their chances of mistaken diagnosis. This also offers a focused approach toward diagnoses while getting the appropriate timely care towards the patients.

In addition, the introduction of automation and AI into imaging workflows would improve the diagnostic accuracy. According to Alhammad, the automation in laboratories streamlines the sample processing, hence it increases throughput capability for timely diagnosis (Alhammad, 2023). Correspondingly, Dave stated that the introduction of AI in imaging had promised improved test accuracy diagnostics. Specifically, mammography was an example in which AI improved the accuracy in the diagnosis of breast cancer (Dave, 2023). These technologies allow the radiologists and technicians to focus on more complex diagnostic challenges because they automate routine tasks and provide decision support leading to better outcomes. Diagnostic confidence plays a very important role, even in the optimization of efficiency. Binol et al. found that diagnostic confidence in clinicians was directly related to their correct interpretation of imaging results. When efficiency is optimized, clinicians have more time spent on reviewing and analyzing images without the burden of backlogs, which enhances confidence in their diagnostic decisions (Binol et al., 2020). This is especially in a high-stakes environment, wherein accurate diagnosis is a significant matter for patient management.

Moreover, the improvement of workflow optimization over imaging quality is also witnessed in multi-disciplinary collaboration. Hudson et al. believe that proper communication and teamwork between healthcare professionals can be an avenue to increase diagnostic precision in complex cases like coronary artery disease (Hudson et al., 2010). Optimizing staffing and scheduling allows healthcare facilities to guarantee the availability of the correct specialists

to review imaging results, hence increasing the overall diagnostic process. Additionally, more advanced imaging technologies, for instance digital otoscopy and AI-assisted systems, have also been proved to increase the accuracy of diagnosis. According to Moberly et al., digital otoscopy reached a diagnostic accuracy of 82% in specialists while it has been shown as the key for new imaging techniques into the development of better diagnoses (Moberly et al., 2017). The savings of time that these technologies create make it possible to have quicker and more accurate assessments in fast-paced clinical settings.

Table 2: Factors influencing efficiency of radiology operation technicians.

Category	Factor	Impact on Efficiency	References
Technological	Advanced Imaging Technologies	Improved image quality and workflow streamlining.	Zhong et al., 2020; Chen-Yoshikawa, 2024
Human Factors	Training and Experience	Enhanced competency and adaptability to complex scenarios.	Amadou et al., 2021; Parlangei et al., 2019
Environmental	Department Layout	Reduced bottlenecks and improved technician ergonomics.	Li et al., 2013; Bertsch & McKeirnan, 2020
Communication	Effective Team Coordination	Minimized diagnostic errors and patient turnaround times.	Fatahi et al., 2019; Alim, 2024

It means, therefore, that optimization of efficiency is very critical for improvement of imaging quality and diagnostic accuracy. Healthcare facilities can improve outcomes greatly by reducing errors, integration of advanced technologies, promotion of collaboration, and increasing clinician confidence. Optimizing efficiency will thus continue to be at the heart of the focus for healthcare as it continues evolving in the future. Improvement in speed without compromising the safety of patients is a multi-dimensional challenge that requires strategic action. There are many ways through which efficiency and safety in health care can be maintained together. These measures involve having a strong patient safety culture, improving communication, utilizing technology efficiently, and using standardized protocols.

A foundational element in patient safety while optimizing speed is the establishment of a robust patient safety culture within healthcare organizations. Sammer et al. report that a culture focused on safety supported by leadership can lead to remarkable improvements in clinical outcomes Sammer et al. (2010). It also allows the organization to place an emphasis on patient safety above speed in the working of the staff and, as a result, facilitates an environment in which such concerns about safety can be addressed without the threat of retribution. Organizational ethos thus embedded by healthcare providers to ensure efficiency gains not compromised with patient care. Effective communication forms another key performance indicator for increasing patient safety while also enhancing performance velocity. Vermeir et al. indicate how communication failure increases hospital admissions or leads to medical errors thus exposing the patients to harmful practices (Vermeir et al., 2015). The implementation of structured means of communication such as handover protocols and read backs may help eliminate misunderstandings and communicate the most crucial information involved. This not only enhances patient safety but also streamlines the processes, allowing for quicker decision-making without sacrificing care quality.

The integration of technology also has a significant role in optimizing efficiency while keeping safety intact. Wegner et al. discuss the medication administration systems with barcoding, which has reduced medication errors to a minimum and increases patient safety (Wegner et al., 2017). Automating routine tasks and using decision-support tools, healthcare providers can speed up processes and still ensure that safety checks are in place. Furthermore, the deployment of EHRs has the potential to make real-time data access possible, enhancing the speed and timeliness of clinical decisions. Standardized processes and protocols are essential, since speed improvements should not compromise patient safety. For example, McCreedy et al. note that the sharing of best practice and safety protocols across different departments improves patient safety in anesthesiology (McCreedy et al., 2022). Improving both efficiency and safety can be achieved by adapting standardized procedures for high-risk tasks. Variability would be reduced, and even the potential for errors reduced. This means continuous training and simulation exercises will help staff prepare to respond properly in high-pressure situations so they can maintain safety standards, even when operating at higher speeds.

Finally, continuous monitoring and safety outcome evaluation are essential in identifying risks associated with speed improvements. According to Binkheder et al., the importance of assessing the relationship between patient safety culture and sentinel events should be considered considering regular audits and feedback mechanisms that can identify areas for improvement (Binkheder et al., 2023). In doing so, the healthcare provider can adjust their practices according to what is learned about the effects of the speed-enhancing measures on patient safety.

6. Challenges and Barriers

Implementing efficiency optimization strategies in healthcare settings poses several significant challenges that might prevent efficient adoption and integration. These challenges include financial constraints, resistance to change among staff, and the complexity of technological integration. Among the main obstacles is financial stress regarding introducing new technologies and procedures. Almashmoum et al. underscore the fact that financial factors like system upgradation of systems such as Picture Archiving and Communication Systems (PACS) and hospital information systems become huge efficiency optimization blockers Almashmoum et al. (2023). Such a huge investment in maintaining and upgrading can discourage health organizations from implementing necessary improvements, especially in environments where budgets are tight. Such a strain on finances can cause resistance to adopting new technologies that may be helpful in improving operational efficiency.

Resistance to change is another critical resistance to the adoption of efficiency improvement strategies. Carr et al. write about how a perceived risk and resistance from an organization can work against new technological acceptance, such as with RFID systems (Carr et al., 2010). Employees may resist changes because of fears about job security, the complexity of new systems, or a lack of understanding of the benefits. That will manifest in many ways ranging from passive non-compliance and active opposition to lack of engagements in training programs, generally affecting potential benefits of efficiency initiatives. Second, organizational cultural dynamics may add more complexity to the effectiveness of implementing efficiency optimization strategies. For example, according to Lippi et al., entrenched habits that have resisted changes, such as those stemming from poor organizational culture and a lack of proper education, lead to inefficiencies in areas like laboratory testing redundancies (Lippi et al., 2017). When staff get used to the workflows, it can be a challenge for them to adapt to new changes even though the new change will ensure greater efficiency and improvement in care. It can be one of the biggest challenges: cultural inertia; this involves not just changes in process but in people's thinking and action too.

Another challenge that arises from the introduction of new technologies into current workflows is the logistical aspect. According to İlgün and Şahin, the efficiency of healthcare systems can be impacted by many factors, such as the requirement for broad training and the consistency of new technologies with the present practices (İlgün & Şahin, 2020). When new systems are not integrated smoothly, they tend to disrupt the already existing workflows, causing confusion and, potentially, errors that endanger patient safety. Effective healthcare leadership should overcome hidden challenges such as resistance to change and poor communication, thus providing a climate of innovation (Lepez, 2023). The leader has to be proactive and get staff to engage in the change process while giving clear communication about efficiency optimization benefits and being involved in the decision-making process to minimize resistance.

7. Case Studies and Best Practices

Implementation of efficiency optimization strategies across several hospitals and departments has been successful in improving technician productivity and the effectiveness of the overall operation. Pharmacy technician integration with medication reconciliation, automation, and more utilization of technicians in clinical settings have been key implementations. One of the most high-profile examples is the pharmacy technician medication history program designed by Cooper et al. This program illustrated that by using pharmacy technicians to perform medication histories, costs were reduced considerably and adherence to medication reconciliation was improved Cooper et al. (2014). By spending money in pharmacy technician FTEs, the hospital was able to make the process of medication history standardized with better patient outcomes and more streamlined pharmacy operations.

Similarly, Seston et al. assessed a medicines administration service that pharmacy technicians provided to help minimize omitted doses in the hospital. They found that involving pharmacy technicians in more patient-facing roles resulted in improved operational productivity and better quality, medication administration (Seston et al., 2019). This allowed pharmacists to concentrate more on clinical care, making better use of human resources and enhancing patient safety. Another important example is the implementation of pharmacy automation. Silverstein noted that a hospital pharmacy ranked in the top 10.2% for pharmacy automation, and it saw substantial workflow improvements from incorporating automated systems (Silverstein, 2010). However, they observed that the early stages of automation necessitated additional technician personnel to make the transition work. It points out the need for appropriate planning and resource allocation in implementing new technologies.

Table 3: Strategies for efficiency optimization.

Strategy	Objective	Example/Outcome	References
Workflow Standardization	Reduce variability and errors	SOPs in radiology improved imaging turnaround times.	Iwasaki et al., 2015; Mor et al., 2019
Technology Integration	Streamline imaging and diagnostics	PACS and RIS enhanced communication and reduced image retrieval time.	Bejarano, 2023; Shinnars et al., 2022
Continuous Education	Maintain up-to-date technical skills	Ongoing MRI-specific training improved image quality.	Amadou et al., 2021; D'Assunção et al., 2015
Staff Scheduling Optimization	Align staffing with demand patterns	Reduced technician burnout and patient wait times during peak hours.	Peng et al., 2022; Kogan et al., 2020

According to Altyar et al., unit dose checks given to trained pharmacy technicians helped improve proficiency and allowed the pharmacists to focus more on clinical responsibilities (Altyar et al., 2020). This approach, in addition to improving the efficiency of the pharmacy department, ensured that patients received their medication management in a timely and accurate manner. In addition, Sparkmon et al. highlighted the advantages of using certified technicians in activities like medication safety procedures and medication reconciliation. Their study showed that these additional roles for pharmacy technicians enhanced the efficiency of pharmacy practice and increased the time allocated to patient care by pharmacists (Sparkmon et al., 2023). This shows how optimizing technician roles can also improve workflow and patient outcomes.

Apart from the pharmacy departments, the implementation of information and communication technology has been shown to promise more efficiency in public healthcare institutions. A study by Abdullahi et al. noted that ICT in healthcare institutions saves much cost while improving the operational efficiency of institutions (Abdullahi et al., 2022). This suggests that there is a possible factor for optimizing the productivity of technicians in any domain related to health. Examples in numerous hospitals and departments across the nation illustrate successful application of strategies to improve technician productivity and overall efficiency in operation. Critical processes within a health care organization may be streamlined with integration of pharmacy technicians, implementation of automation, and other new technologies for operation efficiency and not a compromise of high patient care.

8. Future Directions

Emerging technologies like AI, robotics, and automation will dramatically heighten efficiency among healthcare professionals and technicians. These emerging technological solutions tend to automate all tasks involving manual work and refine workflows through increased accuracy, ensuring positive patient outcomes. Artificial Intelligence is arguably one of the most transformative healthcare technologies. AI can optimize scheduling, support diagnostics, or even the entire clinical workflow at large. For example, as Ronquillo et al assert, AI can improve outcomes for nurses and patients if it helps in decision making and frees up time through automation of routine tasks while allowing more complex patient care tasks to be handled by a healthcare professional Ronquillo et al. (2021). The AI-driven systems can source enormous data that will enable technicians to make sound decisions rather quickly, hence making it efficient in operation.

AI also allows for predictive analytics, where the technician can anticipate what the patient needs and make better use of resources. For instance, Shah writes about how AI technology can be implemented in the clinical environment, indicating that AI-based scheduling and documentation systems will improve efficiency and care for patients (Shah, 2024). Technicians can spend more time with direct patient care as administrative work is automated. Another area where significant progress is being made is in robotics. The use of robotic systems in pharmacies has proven promising. Momattin et al. conducted a usability study of robotic pharmacy systems in Saudi Arabia, which showed that automation in dispensing processes increased efficiency and reduced labor costs (Momattin et al., 2021). This will leave more complex tasks, such as counseling patients and managing their drugs, to the pharmacy technicians and free them to spend their time on routine dispensing.

Other technologies applied in surgery are the robotic technologies. According to Taha, "AI-assisted robotic systems can help surgeons to operate more precisely and safely," and the technician can support a surgeon during surgery (TAHA, 2023). Some of these applications include monitoring patients' vital signs and operating surgical instruments to enhance the effectiveness of the workflow in an operating room. Another emerging technology that could streamline most of the administrative processes in the healthcare sector is Robotic Process Automation (RPA). RPA will automate those repetitive tasks like data entry and schedule appointments, freeing up the technicians from doing more value-added activities. Kaur indicates that matured RPA will strongly enhance labor productivity and

operational effectiveness in healthcare organizations (Kaur, 2023). This technology may reduce mistakes associated with the manual process of data handling and help in the speedy delivery of the service. Another emerging technology for streamlining administrative processes in healthcare is Robotic Process Automation, or RPA. RPA will automate routine tasks such as data entry and scheduling of appointments. This allows technicians to spend their time in more value-added activities. Kaur indicates that as RPA matures, it will significantly enhance labor productivity and operational efficiency within the healthcare organization (Kaur, 2023). This will reduce errors linked to manual handling of data and speed up the delivery of services.

Abbreviations

Abbreviation	Full Form
CT	Computed Tomography
MRI	Magnetic Resonance Imaging
SOPs	Standard Operating Procedures
PACS	Picture Archiving and Communication Systems
RIS	Radiology Information Systems
PPE	Personal Protective Equipment

Conclusion

Radiology and imaging operation technicians were the key deliverers of health care in respect to smooth workflows, maintaining equipment, and keeping patients safe. Technological advancement, training, and communication influence the efficiency. Standardizing the workflow, application of advance technologies, and optimal staff allocation significantly improve operational efficiency. However, these were to be addressed, which include financial constraints and the change aversion. In a successful implementation, there must be an ability to embrace changes with technological advancement, training to continually keep the technician abreast, and teamwork in improving performance for better patient outcome. In conclusion, making sure that improvements in speed do not compromise the safety of patients requires a multifaceted approach: the development of a safety culture, improvement in communication, application of technology, standardized protocols, and continuous evaluation. If all these are prioritized, health care organizations can realize efficiency in operations while ensuring patient safety. The training, experience, and the extent of a technician's skill profile play a very large part in influencing the performance of the technicians in the radiology and imaging departments.

Author Contributions

All authors are involved and participated in the manuscript editing, literature collection and giving the approval for final submission to journal. The corresponding author supervised the manuscript, which roughly was created by first author.

Conflict of Interest

The authors declare they don't have any conflicts of interest.

Ethical Approval

Not Applicable

Funding

No funding received for study

References

- EsmatShoman, A., Hakim, S. A., MagidTolba, M. A., & Abozaid, D. A. (2018). Knowledge of radiology technicians regarding radiation health hazards and radiation safety measures in Ain-Shams university hospitals. *Egyptian Journal of Community Medicine*, 36 (01), 131-140. <https://doi.org/10.21608/ejcm.2018.6875>
- Alhasan, M. and Hasaneen, M. (2021). The role and challenges of clinical imaging during covid-19 outbreak. *Journal of Diagnostic Medical Sonography*, 38(1), 72-84. <https://doi.org/10.1177/87564793211056903>
- Amadou, A., Dagbe, M., Adjadohoun, S., Gbande, P., Sonhayé, L., Agoda-Koussema, L., ... & Adjenou, K. (2021). Current state of affairs with regard to continuing medical education for technicians in radiology in francophone west africa. *Open Journal of Radiology*, 11(03), 91-100. <https://doi.org/10.4236/ojrad.2021.113009>
- Anderson, T., Martins, T., & Gelbcke, F. (2019). Sources of exhaustion among hospital conventional radiology technicians in santa catarina, brazil. *Revista Brasileira De Medicina Do Trabalho*, 17(4), 473-479. <https://doi.org/10.5327/z1679443520190386>
- Goh, Y., Chua, W., Lee, J., Ang, B., Liang, C., Tan, C., ... & Quek, S. (2020). Operational strategies to prevent coronavirus disease 2019 (covid-19) spread in radiology: experience from a singapore radiology department after severe acute respiratory syndrome. *Journal of the American College of Radiology*, 17(6), 717-723. <https://doi.org/10.1016/j.jacr.2020.03.027>

- Ramos, W., Guerrero, N., Napanga-Saldaña, E., Osis, J., Loayza, M., Vargas, M., ... & Arrasco, J. (2022). Hospitalization, death, and probable reinfection in peruvian healthcare workers infected with sars-cov-2: a national retrospective cohort study. *Human Resources for Health*, 20(1). <https://doi.org/10.1186/s12960-022-00787-0>
- Yielder, J., Young, A., Park, S., & Coleman, K. (2014). Establishing advanced practice for medical imaging in new zealand. *Journal of Medical Radiation Sciences*, 61(1), 14-21. <https://doi.org/10.1002/jmrs.44>
- Romadhoni, E., Darmini, D., & Andayani, T. (2021). Role of integrated radiology information system for emergency radiology. *Journal of Applied Health Management and Technology*, 1(4), 112-115. <https://doi.org/10.31983/jahmt.v1i4.7874>
- Jalal, S., Parker, W., Ferguson, D., & Nicolaou, S. (2020). Exploring the role of artificial intelligence in an emergency and trauma radiology department. *Canadian Association of Radiologists Journal*, 72(1), 167-174. <https://doi.org/10.1177/0846537120918338>
- Parlangeli, O., Liston, P., Marchigiani, E., Bracci, M., & Giani, A. (2019). Perceptions and use of computed tomography in a hospital emergency department: technicians' perspectives. *Human Factors and Ergonomics Society*, 62(1), 5-19. <https://doi.org/10.1177/0018720819841758>
- Doshi, A., Moore, W., Kim, D., Rosenkrantz, A., Fefferman, N., Ostrow, D., ... & Recht, M. (2018). Informatics solutions for driving an effective and efficient radiology practice. *Radiographics*, 38(6), 1810-1822. <https://doi.org/10.1148/rg.2018180037>
- Luo, L., Zhang, Y., Qing, F., Ding, H., Shi, Y., & Guo, H. (2018). A discrete event simulation approach for reserving capacity for emergency patients in the radiology department. *BMC Health Services Research*, 18(1). <https://doi.org/10.1186/s12913-018-3282-8>
- Kemp, J., Mahoney, M., Mathews, V., Wintermark, M., Yee, J., & Brown, S. (2017). Patient-centered radiology: where are we, where do we want to be, and how do we get there?. *Radiology*, 285(2), 601-608. <https://doi.org/10.1148/radiol.2017162056>
- Keskiner, R., Ergonul, O., Demiroglu, Z., Eren, S., Baykam, N., & Dokuzoğuz, B. (2004). Risk of tuberculous infection among healthcare workers in a tertiary-care hospital in ankara, turkey. *Infection Control and Hospital Epidemiology*, 25(12), 1067-1071. <https://doi.org/10.1086/502345>
- Alrawaili, F. (2023). Clinical decision support implementation in health information systems across radiology departments. *IJSR*, 2(11), 339-351. <https://doi.org/10.59992/ijsr.2023.v2n11p15>
- Janczak, D., Merenda, M., Litarski, A., Pormańczuk, K., Malinowski, M., Kobecki, J., ... & Chabowski, M. (2020). Wyniki leczenia operacyjnego pękniętych tętniaków aorty brzusznej (ptab) w materiale własnym. *Acta Angiologica*, 26(1), 1-8. <https://doi.org/10.5603/aa.2020.0001>
- Naidich, J., Boltyenkov, A., Wang, J., Chusid, J., Hughes, D., & Sanelli, P. (2020). Impact of the coronavirus disease 2019 (covid-19) pandemic on imaging case volumes. *Journal of the American College of Radiology*, 17(7), 865-872. <https://doi.org/10.1016/j.jacr.2020.05.004>
- Kaijser, M. (2024). Two years of neurosurgical intraoperative mri in sweden - evaluation of use and costs. *Acta Neurochirurgica*, 166(1). <https://doi.org/10.1007/s00701-024-05978-3>
- Fabião, L., Ribau, A., Lemos, C., & Rodrigues-Pinto, R. (2023). Intraoperative fluoroscopic radiation in orthopedic trauma: correlation with surgery type and surgeon experience. *Porto Biomedical Journal*, 8(3). <https://doi.org/10.1097/j.pbj.0000000000000218>
- Alshabi, Y., Yasawy, M., Makhdoom, A., Kablaghli, R., Alanazi, K., Eid, S., ... & Imran, W. (2022). Knowledge regarding ionizing radiation exposure safety among orthopedic surgeons at hospitals in al-madinah. *Cureus*. <https://doi.org/10.7759/cureus.30738>
- Madhuripan, N., Cheung, H., Cheong, L., Jawahar, A., Willis, M., & Larson, D. (2020). Variables influencing radiology volume recovery during the next phase of the coronavirus disease 2019 (covid-19) pandemic. *Journal of the American College of Radiology*, 17(7), 855-864. <https://doi.org/10.1016/j.jacr.2020.05.026>
- Tok, A., Akbaş, A., Aytan, N., Alışkan, T., Çiçekbilek, İ., Kaba, M., ... & Tepeler, A. (2015). Are the urology operating room personnel aware about the ionizing radiation?. *International Braz J Urol*, 41(5), 982-989. <https://doi.org/10.1590/s1677-5538.ibju.2014.0351>
- (2013). Md phd programmes with relevance to imaging. results from a european survey. *Insights Into Imaging*, 4(4), 409-415. <https://doi.org/10.1007/s13244-013-0249-5>
- Adambounou, K., Adjenou, V., Salam, A., Farin, F., N'dakena, K., Gbéassor, M., ... & Arbeille, P. (2014). A low-cost tele-imaging platform for developing countries. *Frontiers in Public Health*, 2. <https://doi.org/10.3389/fpubh.2014.00135>
- Zhong, K., Lv, C., Cheng, S., Hongjun, C., & Long, F. (2020). The efficiency of primary health care institutions in the counties of hunan province, china: data from 2009 to 2017. *International Journal of Environmental Research and Public Health*, 17(5), 1781. <https://doi.org/10.3390/ijerph17051781>

- (2023). Three-dimensional digital reconstruction and application of ar_mr technology in medicine. *Automation and Machine Learning*, 4(2). <https://doi.org/10.23977/autml.2023.040202>
- Chen-Yoshikawa, T. (2024). Evolution of three-dimensional computed tomography imaging in thoracic surgery. *Cancers*, 16(11), 2161. <https://doi.org/10.3390/cancers16112161>
- Dzefi-Tetty, K., Edzie, E., Brakohiapa, E., Gorleku, P., Amankwa, A., Abdulai, A., ... & Asemah, A. (2022). Career in radiology; the ghanaian clinical medical student's perception. *Heliyon*, 8(12), e12603. <https://doi.org/10.1016/j.heliyon.2022.e12603>
- Lepri, G. (2024). Beyond the clinic walls: examining radiology technicians' experiences in home-based radiography. *Healthcare*, 12(7), 732. <https://doi.org/10.3390/healthcare12070732>
- Alim, N. (2024). The impact of implementing a picture archiving and communication system (pacs) on minimum service standards in the field of radiology. *International Journal of Social Health*, 3(3). <https://doi.org/10.58860/ijsh.v3i3.185>
- Arkoudis, N. (2024). Interdepartmental miscommunication regarding radiology: addressing chronic challenges and exploring solutions. *World Journal of Radiology*, 16(5), 109-114. <https://doi.org/10.4329/wjr.v16.i5.109>
- Castillo, C., Steffens, T., Sim, L., & Caffery, L. (2020). The effect of clinical information on radiology reporting: a systematic review. *Journal of Medical Radiation Sciences*, 68(1), 60-74. <https://doi.org/10.1002/jmrs.424>
- Fatahi, N., Krupić, F., & Hellström, M. (2019). <p>difficulties and possibilities in communication between referring clinicians and radiologists: perspective of clinicians<p>. *Journal of Multidisciplinary Healthcare*, Volume 12, 555-564. <https://doi.org/10.2147/jmdh.s207649>
- Jakobsen, L., Albertsen, K., Jorgensen, A., Greiner, B., & Rugulies, R. (2018). Collaboration among eldercare workers: barriers, facilitators and supporting processes. *Scandinavian Journal of Caring Sciences*, 32(3), 1127-1137. <https://doi.org/10.1111/scs.12558>
- Neill, S., Vijayarathi, A., Nicolaou, S., Walstra, F., Salamon, N., Munk, P., ... & Khosa, F. (2020). Evaluating radiology result communication in the emergency department. *Canadian Association of Radiologists Journal*, 72(4), 846-853. <https://doi.org/10.1177/0846537119899268>
- Persson, M., Søndergaard, J., Mogensen, C., Skjøt-Arkil, H., & Andersen, P. (2022). Healthcare professionals' experiences and attitudes to care coordination across health sectors: an interview study. *BMC Geriatrics*, 22(1). <https://doi.org/10.1186/s12877-022-03200-6>
- Granja, C., Almada-Lobo, B., Janela, F., Seabra, J., & Mendes, A. (2013). An optimization based on simulation approach to the patient admission scheduling problem: diagnostic imaging department case study. *Journal of Digital Imaging*, 27(1), 33-40. <https://doi.org/10.1007/s10278-013-9626-3>
- Li, M., Tsai, J., Chen, W., Lin, H., Pan, H., & Yang, T. (2013). Redefining the sonography workflow through the application of a departmental computerized workflow management system. *International Journal of Medical Informatics*, 82(3), 168-176. <https://doi.org/10.1016/j.ijmedinf.2012.06.001>
- Bertsch, T. and McKeirnan, K. (2020). Perceived benefit of immunization-trained technicians in the pharmacy workflow. *Pharmacy*, 8(2), 71. <https://doi.org/10.3390/pharmacy8020071>
- Mühlemann, S., Benić, G., Fehmer, V., Hämmerle, C., & Sailer, I. (2019). Randomized controlled clinical trial of digital and conventional workflows for the fabrication of zirconia-ceramic posterior fixed partial dentures. part ii: time efficiency of cad-cam versus conventional laboratory procedures. *Journal of Prosthetic Dentistry*, 121(2), 252-257. <https://doi.org/10.1016/j.prosdent.2018.04.020>
- Rybkin, A. and Wilson, M. (2010). A web-based flexible communication system in radiology. *Journal of Digital Imaging*, 24(5), 890-896. <https://doi.org/10.1007/s10278-010-9351-0>
- Akib, H. (2023). Implementation of material process standard operational procedures. *pj.oem*, 2(2), 201. <https://doi.org/10.26858/pjoem.v2i2.53496>
- Hiki, N., Fukunaga, T., Yamaguchi, T., Nunobe, S., Tokunaga, M., Ohyama, S., ... & Muto, T. (2008). The benefits of standardizing the operative procedure for the assistant in laparoscopy-assisted gastrectomy for gastric cancer. *Langenbeck S Archives of Surgery*, 393(6), 963-971. <https://doi.org/10.1007/s00423-008-0374-7>
- Iwasaki, Y., Shimada, J., Kato, D., Nishimura, M., Ito, K., Terauchi, K., ... & Tsunezuka, H. (2015). Improvements in thoracic surgery outcomes: a multi-institutional collaboration study. *Journal of Cardiothoracic Surgery*, 10(1). <https://doi.org/10.1186/s13019-015-0228-7>
- Mor, R., Bhardwaj, A., Singh, S., & Sachdeva, A. (2019). Productivity gains through standardization-of-work in a manufacturing company. *Journal of Manufacturing Technology Management*, 30(6), 899-919. <https://doi.org/10.1108/jmtm-07-2017-0151>
- Huser, V., Rasmussen, L., Oberg, R., & Starren, J. (2011). Implementation of workflow engine technology to deliver basic clinical decision support functionality. *BMC Medical Research Methodology*, 11(1). <https://doi.org/10.1186/1471-2288-11-43>

- Bejarano, A. (2023). The benefits of artificial intelligence in radiology: transforming healthcare through enhanced diagnostics and workflow efficiency. *The Review of Contemporary Scientific and Academic Studies*, 3(8). <https://doi.org/10.55454/rcsas.3.08.2023.005>
- Shinners, L., Grace, S., Smith, S., Stephens, A., & Aggar, C. (2022). Exploring healthcare professionals' perceptions of artificial intelligence: piloting the shinners artificial intelligence perception tool. *Digital Health*, 8, 205520762210781. <https://doi.org/10.1177/20552076221078110>
- Lakkaraju, S., Xu, D., & Wang, Y. (2016). Analysis of healthcare workflows in accordance with access control policies. *International Journal of Healthcare Information Systems and Informatics*, 11(1), 1-20. <https://doi.org/10.4018/ijhisi.2016010101>
- Shipilov, I. (2023). Problematic aspects of the use of artificial intelligence capabilities in modern medical diagnostics. *CM*, (27), 101-110. <https://doi.org/10.18137/cardiometry.2023.27.101110>
- Ma, X. and Yang, K. (2013). Transforming sterile processing departments by service-oriented business process management. *International Journal of Business Process Integration and Management*, 6(3), 186. <https://doi.org/10.1504/ijbpim.2013.056960>
- Graham, H., Ayede, A., Bakare, A., Oyewole, O., Peel, D., Gray, A., ... & Duke, T. (2017). Improving oxygen therapy for children and neonates in secondary hospitals in nigeria: study protocol for a stepped-wedge cluster randomised trial. *Trials*, 18(1). <https://doi.org/10.1186/s13063-017-2241-8>
- Raymond, C. and Woloschuk, D. (2011). Prior learning assessments in a professional workplace for practising pharmacists and technicians. *Canadian Pharmacists Journal / Revue Des Pharmaciens Du Canada*, 144(4), 192-197.e1. <https://doi.org/10.3821/1913-701x-144.4.192>
- Kogan, L., Wallace, J., Schoenfeld-Tacher, R., Hellyer, P., & Richards, M. (2020). Veterinary technicians and occupational burnout. *Frontiers in Veterinary Science*, 7. <https://doi.org/10.3389/fvets.2020.00328>
- D'Assunção, F., Almeida, A., & Kalendarian, E. (2015). Knowledge of leadership and management: pilot study of students perceptions of a dentistry course at a university in brazil. *Revista Da Abeno*, 15(2), 28-37. <https://doi.org/10.30979/rev.abeno.v15i2.156>
- Kelm, M. and Bush, P. (2019). Digital content delivery in a pharmacy technician training program in a health system. *American Journal of Health-System Pharmacy*. <https://doi.org/10.1093/ajhp/zxz255>
- Peng, X., Ye, Y., Fan, R., Ding, X., & Chandrasekaran, A. (2022). Cost-quality tradeoff in nurse staffing: an exploration of usa hospitals facing market competition. *International Journal of Operations & Production Management*, 42(5), 577-602. <https://doi.org/10.1108/ijopm-07-2021-0453>
- Costa, G. (2010). Shift work and health: current problems and preventive actions. *Safety and Health at Work*, 1(2), 112-123. <https://doi.org/10.5491/shaw.2010.1.2.112>
- Role, J., Chao, H., Rosario, C., Ho, P., & Hodgkins, M. (2021). Inpatient staffing dashboard. *Cin Computers Informatics Nursing*, 39(11), 772-779. <https://doi.org/10.1097/cin.0000000000000778>
- Bogaert, P., Peremans, L., heusden, D., Verspuyl, M., Kurečková, V., Cruys, Z., ... & Franck, E. (2017). Predictors of burnout, work engagement and nurse reported job outcomes and quality of care: a mixed method study. *BMC Nursing*, 16(1). <https://doi.org/10.1186/s12912-016-0200-4>
- Wang, G., Zhu, S., & Li, X. (2018). Comparison of values of ct and mri imaging in the diagnosis of hepatocellular carcinoma and analysis of prognostic factors. *Oncology Letters*. <https://doi.org/10.3892/ol.2018.9690>
- Alhammad, L. (2023). The impact of laboratory automation on efficiency and accuracy in healthcare settings. *International Journal of Community Medicine and Public Health*, 11(1), 459-463. <https://doi.org/10.18203/2394-6040.ijcmph20233857>
- Dave, D. (2023). Diagnostic test accuracy of ai-assisted mammography for breast imaging: a narrative review. <https://doi.org/10.36227/techrxiv.24601923.v1>
- Binol, H., Niazi, M., Essig, G., Shah, J., Mattingly, C., Harris, M., ... & Moberly, A. (2020). Digital otoscopy videos versus composite images: a reader study to compare the accuracy of ent physicians. <https://doi.org/10.1101/2020.08.17.20176131>
- Hudson, P., Klein, A., Kim, M., Wink, O., Hansgen, A., Casserly, I., ... & Garcia, J. (2010). A novel dual-axis rotational coronary angiography evaluation of coronary artery disease — case presentation and review. *Clinical Cardiology*, 33(7). <https://doi.org/10.1002/clc.20651>
- Moberly, A., Zhang, M., Yu, L., Gürçan, M., Şenaras, Ç., Teknos, T., ... & Essig, G. (2017). Digital otoscopy versus microscopy: how correct and confident are ear experts in their diagnoses?. *Journal of Telemedicine and Telecare*, 24(7), 453-459. <https://doi.org/10.1177/1357633x17708531>
- Sammer, C., Lykens, K., Singh, K., Mains, D., & Lackan, N. (2010). What is patient safety culture? a review of the literature. *Journal of Nursing Scholarship*, 42(2), 156-165. <https://doi.org/10.1111/j.1547-5069.2009.01330.x>

- Vermeir, P., Vandijck, D., Degroote, S., Peleman, R., Verhaeghe, R., Mortier, É., ... & Vogelaers, D. (2015). Communication in healthcare: a narrative review of the literature and practical recommendations. *International Journal of Clinical Practice*, 69(11), 1257-1267. <https://doi.org/10.1111/ijcp.12686>
- Wegner, W., Silva, M., Peres, M., Bandeira, L., Frantz, E., Botene, D., ... & Predebon, C. (2017). Segurança do paciente no cuidado à criança hospitalizada: evidências para enfermagem pediátrica. *Revista Gaúcha De Enfermagem*, 38(1). <https://doi.org/10.1590/1983-1447.2017.01.68020>
- McCreeedy, A., Wacker, J., Ffrench-O'Carroll, R., Berthelsen, K., Tatičová, Z., & Smith, A. (2022). Patient safety practices in european anaesthesiology. *European Journal of Anaesthesiology*, 40(2), 113-120. <https://doi.org/10.1097/eja.0000000000001779>
- Binkheder, S., Alaska, Y., Albaharnah, A., AlSultan, R., Alqahtani, N., Aljerian, N., ... & Alkutbe, R. (2023). The relationships between patient safety culture and sentinel events among hospitals in saudi arabia: a national descriptive study. *BMC Health Services Research*, 23(1). <https://doi.org/10.1186/s12913-023-09205-0>
- Almashmoum, M., Cunningham, J., Alkhalidi, O., & Ainsworth, J. (2023). Factors that affect knowledge-sharing behaviors in medical imaging departments in cancer centers: systematic review. *Jmir Human Factors*, 10, e44327. <https://doi.org/10.2196/44327>
- Carr, A., Zhang, M., Klopping, I., & Min, H. (2010). Rfid technology: implications for healthcare organizations. *American Journal of Business*, 25(2), 25-40. <https://doi.org/10.1108/19355181201000008>
- Lippi, G., Bovo, C., & Ciaccio, M. (2017). Inappropriateness in laboratory medicine: an elephant in the room?. *Annals of Translational Medicine*, 5(4), 82-82. <https://doi.org/10.21037/atm.2017.02.04>
- İlgün, G. and Şahin, B. (2020). Investigation of factors affecting efficiency of primary healthcare in turkey with two-stage data envelopment analysis. *International Journal of Healthcare Management*, 15(1), 45-51. <https://doi.org/10.1080/20479700.2020.1836735>
- Lepez, C. (2023). Invisible challenges in healthcare leadership. *Health Leadership and Quality of Life*, 2, 35. <https://doi.org/10.56294/hl202335>
- Cooper, J., Lilliston, M., Brooks, D., & Swords, B. (2014). Experience with a pharmacy technician medication history program. *American Journal of Health-System Pharmacy*, 71(18), 1567-1574. <https://doi.org/10.2146/ajhp130590>
- Seston, E., Ashcroft, D., Lamerton, E., Harper, L., & Keers, R. (2019). Evaluating the implementation and impact of a pharmacy technician-supported medicines administration service designed to reduce omitted doses in hospitals: a qualitative study. *BMC Health Services Research*, 19(1). <https://doi.org/10.1186/s12913-019-4146-6>
- Silverstein, S. (2010). Pharmacy automation and workflow implications: a case study. *Journal of Pharmacy Technology*, 26(2), 60-65. <https://doi.org/10.1177/875512251002600203>
- Altyar, A., Sadoun, S., Aljohani, S., & Alradadi, R. (2020). Evaluating pharmacy practice in hospital settings in jeddah city, saudi arabia: dispensing and administration—2019. *Hospital Pharmacy*, 57(1), 32-37. <https://doi.org/10.1177/0018578720970470>
- Sparkmon, W., Barnard, M., Rosenthal, M., Desselle, S., Ballou, J., & Holmes, E. (2023). Pharmacy technician efficacies and workforce planning: a consensus building study on expanded pharmacy technician roles. *Pharmacy*, 11(1), 28. <https://doi.org/10.3390/pharmacy11010028>
- ABDULLAHI, H., ENIMOLA, D., & Unekwu, C. (2022). Adopting information and communication technology (ict) in public healthcare facilities in kogi state, nigeria. *GSR*, 1(2). <https://doi.org/10.32350/gsr.12.01>
- Ronquillo, C., Peltonen, L., Pruinelli, L., Chu, C., Bakken, S., Beduschi, A., ... & Topaz, M. (2021). Artificial intelligence in nursing: priorities and opportunities from an international invitational think-tank of the nursing and artificial intelligence leadership collaborative. *Journal of Advanced Nursing*, 77(9), 3707-3717. <https://doi.org/10.1111/jan.14855>
- Shah, N. (2024). Optimizing healthcare delivery: investigating key areas for ai integration and impact in clinical settings.. <https://doi.org/10.20944/preprints202402.1694.v1>
- Momattin, H., Arafa, S., Momattin, S., Rahal, R., & Waterson, J. (2021). Robotic pharmacy implementation and outcomes in saudi arabia: a 21-month usability study. *Jmir Human Factors*, 8(3), e28381. <https://doi.org/10.2196/28381>
- TAHA, B. (2023). Revolutionizing anesthesia practice with ai-assisted referral management. *International Journal of Innovative Research in Medical Science*, 8(11), 508-511. <https://doi.org/10.23958/ijirms/vol08-i11/1781>
- Kaur, J. (2023). Robotic process automation in healthcare sector. *E3s Web of Conferences*, 391, 01008. <https://doi.org/10.1051/e3sconf/202339101008>
- Agostinelli, S., Lupia, M., Marrella, A., & Mecella, M. (2021). Smarttpa: a tool to reactively synthesize software robots from user interface logs., 137-145. https://doi.org/10.1007/978-3-030-79108-7_16