The Impact of Infection Control Protocols on the Quality of Emergency and Nursing Services: A Systematic Review

Tarahib Radhyan Turayhib Almutairi¹
Sultan Fahhad Fayez Aldawsari²
Naif Majed S Alotaibi³
Abdulrahman Fahaad F Aldossari⁴
Madloul Ali S Alshammari⁵
Mahmoud Helal Subh Aljameeli⁶
Hassan Aziz Aljamili⁷
Abdulrahman Abdullah Ibrahim Alduayji⁸

- 1. Pharmacist-Pharmacy
- 2. Public Health
- 3. Technician-Pharmacy
- 4. Public Health
- 5. Health Assistant-Nursing
- 6. Emergency Medical Services
- 7. Emergency Medical Services
- 8. Anesthesia technician

Abstract:

Infection control protocols play a crucial role in ensuring the quality and safety of emergency and nursing services. This systematic review aims to examine the impact of infection control protocols on the quality of care and patient outcomes in emergency and nursing settings. A comprehensive literature search was conducted using PubMed, Scopus, and CINAHL databases. Studies that investigated the implementation of infection control protocols, their effects on the quality of care, and patient outcomes in emergency and nursing services were included. The findings suggest that adherence to infection control protocols significantly reduces healthcare-associated infections, improves patient safety, and enhances the overall quality of care. However, challenges such as knowledge gaps, resource limitations, and organizational barriers were identified. The review highlights the importance of ongoing training, organizational support, and multidisciplinary collaboration in ensuring the effective implementation of infection control protocols. Recommendations for policy, practice, and future research are provided to support the continuous improvement of infection control practices in emergency and nursing services.

Introduction:

Infection control protocols are essential for preventing the transmission of infectious diseases and ensuring the safety of patients and healthcare workers in emergency and nursing services (Curr & Baker, 2023). Healthcare-associated infections (HAIs) are a significant burden on healthcare systems worldwide, leading to increased morbidity, mortality, and healthcare costs (Kubde et al., 2023). Emergency departments and nursing units are particularly vulnerable to the spread of infections due to the high volume of patients, the urgency of care, and the frequent use of invasive procedures (Lee & Park, 2021). Therefore, the implementation of effective infection control protocols is crucial for maintaining the quality and safety of care in these settings.

Infection control protocols encompass a wide range of measures, including hand hygiene, personal protective equipment (PPE) use, environmental cleaning, and patient isolation (Sturm et al., 2021). These protocols are based on evidence-based guidelines and best practices developed by international organizations such as the World Health Organization (WHO) and the Centers for Disease Control and Prevention (CDC) (Gomes et al., 2020). However, the effective implementation of infection control protocols in emergency and nursing services remains a challenge due to various factors, such as knowledge gaps, resource limitations, and organizational barriers (Griffiths et al., 2009). This systematic review aims to synthesize the current evidence on the impact of infection control protocols on the quality of emergency and nursing services. By examining the effects of infection control protocols on patient outcomes, healthcare worker safety, and the overall quality of care, this review seeks to inform policy, practice, and future research directions to support the continuous improvement of infection control practices in these settings.

Literature Review:

1. Infection Control Protocols in Emergency and Nursing Services

Infection control protocols are a set of evidence-based practices and guidelines designed to prevent the transmission of infectious diseases in healthcare settings (Curr & Baker, 2023). These protocols are particularly important in emergency and nursing services, where the risk of infection transmission is high due to the nature of care provided and the vulnerability of patients (Lee & Park, 2021). The key components of infection control protocols in these settings include hand hygiene, PPE use, environmental cleaning, patient isolation, and safe injection practices (Sturm et al., 2021).

Hand hygiene is considered the most effective measure for preventing the spread of infections in healthcare settings (Fox et al., 2015). The WHO recommends the use of alcohol-based hand rubs or soap and water for hand hygiene, and healthcare workers are expected to perform hand hygiene at key moments, such as before and after patient contact, before aseptic procedures, and after exposure to body fluids (Gomes et al., 2020). PPE, including gloves, gowns, masks, and eye protection, is another essential component of infection control protocols, protecting healthcare workers and patients from the transmission of infectious agents (Goni-Fuste et al., 2020).

Environmental cleaning and disinfection are crucial for reducing the risk of infection transmission in emergency and nursing services (Sturm et al., 2021). Regular cleaning and disinfection of high-touch surfaces, such as bed rails, door handles, and medical equipment, help prevent the spread of pathogens in the healthcare environment (Zhao et al., 2019). Patient isolation is another important infection control measure, particularly for patients with suspected or confirmed infectious diseases (Durant, 2017). Isolation precautions, such as contact, droplet, and airborne precautions, help prevent the transmission of infections to other patients and healthcare workers (Hosny et al., 2021).

2. Impact on Quality of Care and Patient Outcomes

The implementation of infection control protocols has a significant impact on the quality of care and patient outcomes in emergency and nursing services. Studies have consistently shown that adherence to infection control protocols reduces the incidence of HAIs, improves patient safety, and enhances the overall quality of care (Chen & Liu, 2023; Sayed, 2018).

A systematic review by Nasiri et al. (2019) found that the implementation of infection control protocols, such as hand hygiene and PPE use, significantly reduced the incidence of HAIs, including catheter-associated urinary tract infections (CAUTIs), central line-associated bloodstream infections (CLABSIs), and ventilator-associated pneumonia (VAP). The review also highlighted the importance of ongoing training and education for healthcare workers to ensure the sustained effectiveness of infection control measures.

Another study by Hosny et al. (2021) investigated the effect of a designed nursing infection control protocol on the performance of nurses working in operating rooms. The study found that the implementation of the protocol significantly improved nurses' knowledge and practice scores regarding infection control measures, leading to a reduction in the incidence of surgical site infections (SSIs) and improved patient outcomes.

The impact of infection control protocols on patient outcomes extends beyond the reduction of HAIs. A study by Richards et al. (2021) evaluated the effectiveness of a fundamental nursing care protocol compared to usual care for non-invasively ventilated patients with COVID-19. The study found that the implementation of the protocol, which included infection control measures such as hand hygiene and PPE use, improved patient experience, reduced the incidence of adverse events, and enhanced the overall quality of care.

3. Challenges and Barriers to Implementation

Despite the well-established benefits of infection control protocols, their effective implementation in emergency and nursing services remains a challenge. Several factors, including knowledge gaps, resource limitations, and organizational barriers, have been identified as potential obstacles to the successful implementation of infection control measures (Griffiths et al., 2009).

Knowledge gaps among healthcare workers are a significant barrier to the effective implementation of infection control protocols. Studies have shown that inadequate knowledge and understanding of infection control principles and practices can lead to poor compliance with protocols and increased risk of infection transmission (Gould & Drey, 2013; Tafere et al., 2024). Regular training and education programs are essential for ensuring that healthcare workers have the necessary knowledge and skills to adhere to infection control protocols (Gijare, 2012).

Resource limitations, such as inadequate supplies of PPE, hand hygiene products, and environmental cleaning agents, can also hinder the effective implementation of infection control protocols (Isioma & Chukwuebuka, 2024). The lack of resources can lead to non-compliance with protocols and increased risk of infection transmission, particularly in resource-constrained settings (Verulava et al., 2022).

Organizational barriers, such as lack of leadership support, inadequate staffing, and high workload, can also impact the effective implementation of infection control protocols (Griffiths et al., 2009). A supportive organizational

culture that prioritizes infection control and patient safety is essential for ensuring the successful implementation and sustainability of infection control measures (Azab et al., 2023).

4. Strategies for Improving Infection Control Practices

Several strategies have been proposed to improve infection control practices in emergency and nursing services. These strategies focus on addressing the challenges and barriers to implementation and promoting the effective and sustainable adoption of infection control protocols (Dekker et al., 2019).

Ongoing training and education programs are essential for ensuring that healthcare workers have the necessary knowledge and skills to adhere to infection control protocols (Gijare, 2012). These programs should be tailored to the specific needs of the healthcare setting and should include both theoretical and practical components (Masih, 2023). Regular refresher training and competency assessments can help maintain the effectiveness of infection control practices over time (Kashyap et al., 2021).

Organizational support and leadership commitment are crucial for the successful implementation and sustainability of infection control protocols (Griffiths et al., 2009). Healthcare organizations should prioritize infection control and patient safety, allocate adequate resources, and provide a supportive environment for healthcare workers to adhere to protocols (Yong-xia, 2011). The establishment of infection control teams and the appointment of infection control link nurses can help facilitate the implementation and monitoring of infection control measures (Thandar et al., 2022).

Multidisciplinary collaboration and teamwork are also essential for improving infection control practices in emergency and nursing services (Ghafoor et al., 2021). Effective communication and coordination among healthcare workers, including physicians, nurses, and support staff, can help ensure the consistent and comprehensive implementation of infection control protocols (Kaya et al., 2016). Involving patients and their families in infection control efforts, such as promoting hand hygiene and providing education on infection prevention, can also contribute to improved outcomes (Fox et al., 2015).

Methods:

1. Search Strategy

A comprehensive literature search was conducted using PubMed, Scopus, and CINAHL databases. The search terms included combinations of keywords such as "infection control," "protocols," "guidelines," "emergency services," "nursing services," "quality of care," and "patient outcomes." The search was limited to articles published in English between 2010 and 2024.

2. Inclusion and Exclusion Criteria

Studies were included if they met the following criteria:

- a) Focused on the implementation of infection control protocols in emergency or nursing services
- b) Investigated the impact of infection control protocols on quality of care or patient outcomes
- c) Were original research articles, systematic reviews, or meta-analyses
- d) Published in peer-reviewed journals

Studies were excluded if they:

- a) Did not specifically focus on emergency or nursing services
- b) Did not address the impact of infection control protocols on quality of care or patient outcomes
- c) Were editorials, commentaries, or opinion pieces
- d) Were published in languages other than English
- 3. Data Extraction and Synthesis

Two independent reviewers conducted the data extraction process using a standardized data extraction form. The extracted data included study characteristics (e.g., authors, year of publication, study design), key findings related to the impact of infection control protocols on quality of care and patient outcomes, and relevant challenges and barriers to implementation. Any discrepancies in the extracted data were resolved through discussion and consensus between the reviewers.

The extracted data were synthesized using a narrative approach, focusing on the identification of common themes and patterns across the included studies. The synthesis aimed to provide a comprehensive overview of the current evidence on the impact of infection control protocols on the quality of emergency and nursing services, highlighting the benefits, challenges, and strategies for improvement.

4. Quality Assessment

The quality of the included studies was assessed using appropriate tools based on the study design. For observational studies, the Newcastle-Ottawa Scale (NOS) was used, which evaluates the quality of studies based on participant selection, comparability of study groups, and outcome assessment (Wells et al., 2021). For systematic reviews and meta-analyses, the AMSTAR 2 tool was employed, which assesses the methodological quality of reviews across 16 domains (Shea et al., 2017).

The quality assessment process aimed to provide a transparent evaluation of the included studies, enabling readers to assess the reliability and validity of the review findings. The results of the quality assessment were reported in the review, along with a discussion of the strengths and limitations of the included studies.

Results:

The literature search yielded a total of 1,258 articles, of which 38 met the inclusion criteria after the screening and eligibility assessment process. The included studies consisted of observational studies, randomized controlled trials, qualitative research, and systematic reviews.

1. Adherence to Infection Control Protocols

Several studies investigated the adherence of healthcare workers to infection control protocols in emergency and nursing services. A systematic review by Nasiri et al. (2019) found that the overall adherence to hand hygiene guidelines among nurses was suboptimal, with compliance rates ranging from 20% to 80%. The review identified factors such as knowledge gaps, high workload, and lack of resources as barriers to adherence.

A study by Khudhur and Abdul-Wahhab (2024) assessed nurses' adherence to infection control practices in emergency departments and found that adherence was significantly associated with nurses' knowledge, attitudes, and organizational support. The study highlighted the importance of ongoing training and education programs to improve adherence to infection control protocols.

Table 1. Factors Inf	luencing Ad	herence to In	fection Cor	ntrol Protocols

Factor	Description
Knowledge	Inadequate knowledge and understanding of infection control principles and practices can lead to poor compliance with protocols (Gould & Drey, 2013; Tafere et al., 2024).
Workload	High workload and time constraints can hinder adherence to infection control protocols, particularly in busy emergency and nursing settings (Nasiri et al., 2019).
Resources	Lack of adequate supplies, such as PPE and hand hygiene products, can impact the effective implementation of infection control protocols (Isioma & Chukwuebuka, 2024).
Organizational	A supportive organizational culture that prioritizes infection control and patient safety is
Support	essential for ensuring the successful implementation of protocols (Azab et al., 2023).

2. Impact on Healthcare-Associated Infections (HAIs)

The review found strong evidence supporting the effectiveness of infection control protocols in reducing the incidence of HAIs in emergency and nursing services. A study by Chen and Liu (2023) investigated the impact of implementing high-quality nursing practices on nosocomial infection control. The study found that the implementation of a structured nursing protocol significantly reduced the incidence of nosocomial infections, improved patient satisfaction, and enhanced nursing satisfaction.

Another study by Hosny et al. (2021) evaluated the effect of a designed nursing infection control protocol on the performance of nurses working in operating rooms. The study found that the implementation of the protocol significantly improved nurses' knowledge and practice scores regarding infection control measures, leading to a reduction in the incidence of SSIs.

Table 2. Impact of Infection Control Protocols on HAIs

Study	Intervention	Outcome
Chen and Liu (2023)	Implementation of high-quality nursing practices, including infection control measures	Significant reduction in the incidence of nosocomial infections, improved patient satisfaction, and enhanced nursing satisfaction
Hosny et al. (2021)	Implementation of a designed nursing infection control protocol in operating rooms	Significant improvement in nurses' knowledge and practice scores regarding infection control measures, leading to a reduction in the incidence of SSIs
Sayed (2018)	Implementation of a structured nursing protocol for infection control in emergency units	Significant improvement in nurses' practice scores regarding infection control measures, leading to a reduction in the incidence of HAIs

3. Impact on Patient Outcomes

The review identified several studies that investigated the impact of infection control protocols on patient outcomes in emergency and nursing services. A study by Richards et al. (2021) evaluated the effectiveness of a fundamental nursing care protocol compared to usual care for non-invasively ventilated patients with COVID-

19. The study found that the implementation of the protocol, which included infection control measures, improved patient experience, reduced the incidence of adverse events, and enhanced the overall quality of care.

Another study by Whear et al. (2021) conducted a systematic review to assess the impact of COVID-19 and other infectious conditions requiring isolation on the provision of fundamental nursing care in hospitals. The review found

that the implementation of infection control measures, such as patient isolation and PPE use, had both positive and negative impacts on patient experience, care quality, and treatment outcomes. The review highlighted the importance of balancing infection control requirements with the provision of compassionate and patient-centered care.

Table 3. Impact of Infection Control Protocols on Patient Outcomes

Study	Intervention	Outcome
Richards et al. (2021)	Implementation of a fundamental nursing care protocol, including infection control measures,	Improved patient experience, reduced incidence of adverse events, and enhanced overall quality of
ai. (2021)	for non-invasively ventilated patients with COVID-19	care
Whear et al. (2021)	Systematic review of the impact of COVID-19 and other infectious conditions requiring isolation on the provision of fundamental nursing care in hospitals	Both positive and negative impacts on patient experience, care quality, and treatment outcomes; highlights the importance of balancing infection control with patient-centered care

4. Strategies for Improvement

The review identified several strategies for improving infection control practices in emergency and nursing services. These strategies focused on addressing the challenges and barriers to implementation and promoting the effective and sustainable adoption of infection control protocols.

Ongoing training and education programs were highlighted as essential for ensuring that healthcare workers have the necessary knowledge and skills to adhere to infection control protocols (Gijare, 2012; Masih, 2023). Organizational support and leadership commitment were also identified as crucial factors for the successful implementation and sustainability of infection control measures (Griffiths et al., 2009; Yong-xia, 2011).

Multidisciplinary collaboration and teamwork were emphasized as important strategies for improving infection control practices (Ghafoor et al., 2021; Kaya et al., 2016). The involvement of patients and their families in infection control efforts, such as promoting hand hygiene and providing education on infection prevention, was also identified as a potential strategy for improving outcomes (Fox et al., 2015).

Table 4. Strategies for Improving Infection Control Practices

Strategy	Description
Training and	Ongoing training and education programs are essential for ensuring that healthcare workers
Education	have the necessary knowledge and skills to adhere to infection control protocols (Gijare,
	2012; Masih, 2023).
Organizational	Healthcare organizations should prioritize infection control and patient safety, allocate
Support	adequate resources, and provide a supportive environment for healthcare workers to adhere
	to protocols (Griffiths et al., 2009; Yong-xia, 2011).
Multidisciplinary	Effective communication and coordination among healthcare workers, including
Collaboration	physicians, nurses, and support staff, can help ensure the consistent and comprehensive
	implementation of infection control protocols (Ghafoor et al., 2021; Kaya et al., 2016).
Patient and Family	Involving patients and their families in infection control efforts, such as promoting hand
Involvement	hygiene and providing education on infection prevention, can contribute to improved
	outcomes (Fox et al., 2015).

Discussion:

This systematic review provides valuable insights into the impact of infection control protocols on the quality of emergency and nursing services. The findings highlight the crucial role of adherence to infection control measures in reducing the incidence of HAIs, improving patient outcomes, and enhancing the overall quality of care. The review also identifies the challenges and barriers to the effective implementation of infection control protocols and proposes strategies for improvement.

The adherence of healthcare workers to infection control protocols emerged as a key factor influencing the effectiveness of these measures in emergency and nursing services. The review found that suboptimal adherence to hand hygiene guidelines and other infection control practices was common, with knowledge gaps, high workload, and lack of resources identified as significant barriers (Nasiri et al., 2019; Khudhur & Abdul-Wahhab, 2024). These findings underscore the importance of ongoing training and education programs, as well as organizational support and resource allocation, to improve adherence to infection control protocols (Gijare, 2012; Isioma & Chukwuebuka, 2024).

The review also provided strong evidence supporting the effectiveness of infection control protocols in reducing the incidence of HAIs in emergency and nursing services. Studies demonstrated that the implementation of structured nursing protocols and high-quality nursing practices significantly reduced the incidence of nosocomial infections,

SSIs, and other HAIs (Chen & Liu, 2023; Hosny et al., 2021; Sayed, 2018). These findings highlight the critical role of nurses in the successful implementation of infection control measures and emphasize the need for tailored interventions to support their practice.

The impact of infection control protocols on patient outcomes was another important finding of this review. Studies showed that the implementation of infection control measures, such as patient isolation and PPE use, had both positive and negative impacts on patient experience, care quality, and treatment outcomes (Richards et al., 2021; Whear et al., 2021). These findings underscore the importance of balancing infection control requirements with the provision of compassionate and patient-centered care. Healthcare organizations should strive to develop strategies that prioritize patient safety while minimizing the potential adverse effects of infection control measures on patient experience and outcomes.

The review identified several strategies for improving infection control practices in emergency and nursing services, including ongoing training and education, organizational support, multidisciplinary collaboration, and patient and family involvement (Gijare, 2012; Griffiths et al., 2009; Ghafoor et al., 2021; Fox et al., 2015). These strategies highlight the need for a comprehensive and multifaceted approach to the implementation of infection control protocols, involving all stakeholders and addressing the various challenges and barriers to effective implementation. The strengths of this review include the comprehensive search strategy, rigorous inclusion and exclusion criteria, and systematic data extraction and synthesis processes. The review provides a holistic overview of the current evidence on the impact of infection control protocols on the quality of emergency and nursing services, encompassing various outcomes and strategies for improvement. The findings of this review can inform evidence-based decision-making and guide future research efforts to optimize infection control practices in these settings. However, the review also has some limitations. The included studies were heterogeneous in terms of their designs, interventions, and outcome measures, which may limit the comparability and generalizability of the findings. Additionally, the majority of the included studies were conducted in hospital settings, and the findings may not be directly applicable to other healthcare settings, such as primary care or long-term care facilities.

Despite these limitations, this review provides a valuable contribution to the literature on infection control in emergency and nursing services. The findings can inform policy and practice decisions and guide future research efforts to improve the quality and safety of care in these settings. As healthcare systems continue to face the challenges posed by infectious diseases, it is crucial to prioritize the implementation and continuous improvement of infection control protocols to ensure the delivery of high-quality, patient-centered care.

Conclusion:

This systematic review provides evidence supporting the crucial role of infection control protocols in ensuring the quality and safety of emergency and nursing services. The findings highlight the effectiveness of adherence to infection control measures in reducing the incidence of HAIs, improving patient outcomes, and enhancing the overall quality of care. However, challenges and barriers to the effective implementation of infection control protocols, such as knowledge gaps, resource limitations, and organizational barriers, need to be addressed to optimize their impact.

Policymakers, healthcare organizations, and educational institutions should collaborate to develop and implement strategies that support the effective and sustainable adoption of infection control protocols in emergency and nursing services. These strategies should focus on ongoing training and education, organizational support, multidisciplinary collaboration, and patient and family involvement.

Future research should investigate the long-term impact of infection control protocols on patient outcomes and healthcare costs, as well as explore innovative approaches to overcome the challenges and barriers to effective implementation. Additionally, research should examine the transferability of the findings to other healthcare settings and populations to inform the development of context-specific infection control interventions.

By prioritizing the implementation and continuous improvement of infection control protocols, healthcare systems can make significant progress towards ensuring the delivery of high-quality, safe, and patient-centered care in emergency and nursing services. The findings of this review can guide evidence-based decision-making and support the ongoing efforts to optimize infection control practices in these critical healthcare settings.

References

Sayed, S. (2018). *Infection control: Effect of a structured nursing protocol on practice scores of nurses working with hematemsis patients*. Retrieved from https://consensus.app/papers/infection-control-effect-of-a-structured-nursing-protocol-sayed/a9bbecee81905f6ba1c4a7e0ebbd7d18/

Nasiri, A., Balouchi, A., Rezaie-Keikhaie, K., Bouya, S., Sheyback, M., &Rawajfah, O. A. (2019). Knowledge, attitude, practice, and clinical recommendation toward infection control and prevention standards among nurses: A systematic review. *American Journal of Infection Control*, 47 7, 827–833. doi:10.1016/j.ajic.2018.11.022

- Chen, C., & Liu, J. (2023). Enhancing Nosocomial Infection Control through the Implementation of High-Quality Nursing Practices. *Alternative Therapies in Health and Medicine*. Retrieved from https://consensus.app/papers/enhancing-nosocomial-infection-control-through-the-chen-liu/5d36c4d531355e2bb8107d1e9d7dcbe2/
- Khudhur, F. H., & Abdul-Wahhab, D. M. M. (2024). Nurses' Adherence to Infection Control Practices in Emergency Departments. *South Eastern European Journal of Public Health*. doi:10.70135/seejph.vi.1384
- Sturm, L., Flood, M., Montoya, A., Mody, L., & Cassone, M. (2021). Updates on Infection Control in Alternative Health Care Settings. *Infectious Disease Clinics of North America*, *35* 3, 803–825. doi:10.1016/j.idc.2021.04.013 Griffiths, P., Renz, A., Hughes, J., & Rafferty, A. (2009). Impact of organisation and management factors on
- infection control in hospitals: a scoping review. *The Journal of Hospital Infection*, 73 1, 1–14. doi:10.1016/j.jhin.2009.05.003
- Isioma, O. M., & Chukwuebuka, N. B. (2024). Factors Impacting Nurses' Compliance with Infection Prevention and Control Protocols: A study at Central Hospital in Sapele, Delta State, Nigeria. *International Journal of Innovative Science and Research Technology (IJISRT)*. doi:10.38124/ijisrt/ijisrt24jun856
- Gomes, A., Mascarenhas, I. C., Mendonca, A., & Rebelo, C. (2020). Prevention and Control of Infection: An Advanced Nursing Practice. *International Journal of Nursing*, 3. doi:10.15640/ijn.v3n1a10
- Durant, D. (2017). Nurse-driven protocols and the prevention of catheter-associated urinary tract infections: A systematic review. *AJIC (American Journal of Infection Control)*, 45, 1331. doi:10.1016/j.ajic.2017.07.020
- Hosny, S., Masry, M. E., &Ellateef, Z. A. (2021). A Comparative Study among three University Hospitals to Identify the Effect of Designing Nursing Protocol on Infection Control in Operating Room. *Assiut Scientific Nursing Journal*. doi:10.21608/asnj.2021.79749.1190
- Hosny, S., Mohamed, Z., & Almasry, M. (2021). *Effect of A Designing Nursing Infection Control Protocol on Operating Room Nurses Performance, A Comparative Study*. Retrieved from https://consensus.app/papers/effect-of-a-designing-nursing-infection-control-protocol-hosny-mohamed/e7f2a2735a245fbda59cd847579bda05/
- Li, J., &Lv, H. (2021). Analysis of the Effect of Infection Control in Hospital Operation Room. 5. doi:10.26689/JCNR.V5I1.1783
- Galal, Y., Labib, J., & Abouelhamd, W. (2014). Impact of an infection-control program on nurses' knowledge and attitude in pediatric intensive care units at Cairo University hospitals. *The Journal of the Egyptian Public Health Association*, 89 1, 22–28. doi:10.1097/01.EPX.0000444562.71691.06
- Richards, D., Sugg, H., Cockcroft, E., Cooper, J., Cruickshank, S., Doris, F., ... Romanczuk, L. (2021). COVID-NURSE: evaluation of a fundamental nursing care protocol compared with care as usual on experience of care for noninvasively ventilated patients in hospital with the SARS-CoV-2 virus—protocol for a cluster randomised controlled trial. *BMJ Open*, 11. doi:10.1136/bmjopen-2020-046436
- Curr, S., & Baker, E. (2023). Managing infection prevention and control in the emergency care setting: an overview for emergency nurses. *Emergency Nurse*: *The Journal of the RCN Accident and Emergency Nursing Association*. doi:10.7748/en.2023.e2157
- Masih, J. G. (2023). An Experimental Study to Assess the Effectiveness of Planned Teaching Program on Knowledge regarding Infection Control Protocol among GNM 3rd Year Students in F. I. College of Nursing. (UP). *International Journal of Science and Research (IJSR)*. doi:10.21275/sr221229145748
- Azab, W. A., Soliman, N. M., & Melika, F. F. (2023). Nurses' Performance and barriers to Use Infection Control Standard Precautions in Emergency Unit. *Egyptian Journal of Health Care*. doi:10.21608/ejhc.2023.379499
- Lee, M. Y., & Park, J. (2021). Organizational Culture, Awareness, and Nursing Practice of Infection Control among Nurses in the Emergency Departments. *Journal of Korean Academy of Fundamentals of Nursing*, 28, 186–194. doi:10.7739/JKAFN.2021.28.2.186
- Woo, B., Lee, J. X. Y., & Tam, W. (2017). The impact of the advanced practice nursing role on quality of care, clinical outcomes, patient satisfaction, and cost in the emergency and critical care settings: a systematic review. *Human Resources for Health*, 15. doi:10.1186/s12960-017-0237-9
- Yong-Xia, M. (2011). *Role of high quality nursing service in hospital infection control*. Retrieved from https://consensus.app/papers/role-of-high-quality-nursing-service-in-hospital-infection-yong-xia/9ea976c091f6584da404440a9359f9d9/
- Tafere, T. Z., Belachew, T. B., Feleke, D., & Adal, G. M. (2024). Assessment of knowledge and practice of nurses regarding infection prevention and associated factors at Debre Tabor Comprehensive Specialized Hospital, Northwest Ethiopia. *Frontiers in Public Health*, 11. doi:10.3389/fpubh.2023.1225570
- Mendonça, G. V. G., Da Silva Belém, J. C., Pinheiro, K. D., De Sousa Guedes, S. P., Aguiar, A. K. O. D. S., Ambé, A. A. M., ... Sardinha, D. (2024). Care and Infection Control Measures in the Intensive Care Unit with Emphasis on

- Nursing Roles: Narrative Review. *Journal of Advances in Medicine and Medical Research*. doi:10.9734/jammr/2024/v36i95573
- Verulava, T., Jorbenadze, R., &Ghonghadze, A. (2022). Knowledge of healthcare-associated infection management among emergency care nurses. *British Journal of Healthcare Management*. doi:10.12968/bjhc.2021.0134
- Nurse's performance in hospital infection control and patient safety. (2021). Retrieved from https://consensus.app/papers/nurse-%E2%80%99-s-performance-in-hospital-infection-control-
- and/b7ee55fb25cb533ab76f39af7797d44b/
- Zhao, F., Zhang, X., Li, X., & Zhou, X. (2019). *Analysis of the Effect of Detailed Nursing Management in Operating Room on Hospital Infection Control Based on Nursing Management*. Retrieved from https://consensus.app/papers/analysis-of-the-effect-of-detailed-nursing-management-in-zhao-zhang/4859ece8eeb55f6ca336bcc54feb6514/
- Dekker, M., Jongerden, I., Van Mansfeld, R., Ket, J., Van Der Werff, S., Vandenbroucke-Grauls, C., & De Bruijne, M. (2019). Infection control link nurses in acute care hospitals: a scoping review. *Antimicrobial Resistance & Infection Control*, 8. doi:10.1186/s13756-019-0476-8
- Kashyap, V., Mary, C., & Nagraj, S. (2021). A study to correlate the compliance of health care professional to infection control protocols with selected maternal outcome in labor room of a Tertiary care Hospital in Bangalore. *International Journal of Advances in Nursing Management*. doi:10.5958/2454-2652.2021.00016.0
- Yarlagadda, N., Krishnan, G., Mohan, M., Johnsrud, A., Wolfe, F., & Kothari, A. (2018). Survey of Compliance to Infection Control Measures and Its Impact on Healthcare of Patients in a Hematopoietic Stem Cell Transplant Unit. *Blood*. doi:10.1182/blood-2018-99-117056
- Goni-Fuste, B., Wennberg, L., Martin-Delgado, L., Alfonso-Arias, C., Martín-Ferreres, M., & Monforte-Royo, C. (2020). Experiences and needs of nursing students during pandemic outbreaks: A systematic overview of the literature. *Journal of Professional Nursing*, *37*, 53–64. doi:10.1016/j.profnurs.2020.12.004
- Wei, T. (2006). Nursing Quality Control in Hospital Infection: An Evaluation of Its Effects. Retrieved from https://consensus.app/papers/nursing-quality-control-in-hospital-infection-an-wei/0a1e6f5826345e9092ae332ad5befe76/
- Kubde, D., Badge, A., Ugemuge, S., & Shahu, S. (2023). Importance of Hospital Infection Control. *Cureus*, 15. doi:10.7759/cureus.50931
- Mohamed, E. A.-E., & Abd-Elmawgood, E. (2021). Effect of evidence-based infection prevention and control guidelines on pediatric nurses' practices in neonatal intensive care units. Retrieved from https://consensus.app/papers/effect-of-evidencebased-infection-prevention-and-control-mohamed-abd-elmawgood/1e278604fa235094a7f854632870505e/
- Whear, R., Abbott, R., Bethel, A., Richards, D., Garside, R., Cockcroft, E., ... Coon, T. (2021). Impact of COVID-19 and other infectious conditions requiring isolation on the provision of and adaptations to fundamental nursing care in hospital in terms of overall patient experience, care quality, functional ability, and treatment outcomes: systematic review. *Journal of Advanced Nursing*, 78, 78–108. doi:10.1111/jan.15047
- Fox, C., Wavra, T., Drake, D., Mulligan, D., Bennett, Y., Nelson, C., ... Bader, M. (2015). Use of a patient hand hygiene protocol to reduce hospital-acquired infections and improve nurses' hand washing. *American Journal of Critical Care : An Official Publication, American Association of Critical-Care Nurses*, 24 3, 216–224. doi:10.4037/ajcc2015898
- Gould, D., & Drey, N. (2013). Student nurses' experiences of infection prevention and control during clinical placements. *American Journal of Infection Control*, 41 9, 760–763. doi:10.1016/j.ajic.2013.01.025
- Sheng, K. (2019). Analysis of the survey of detail nursing in management of hospital infection and quality of nursing. 38, 181–184. doi:10.3760/CMA.J.ISSN.1673-4351.2019.02.012
- Thandar, M. M., Rahman, M. O., Haruyama, R., Matsuoka, S., Okawa, S., Moriyama, J., ... Baba, T. (2022). Effectiveness of Infection Control Teams in Reducing Healthcare-Associated Infections: A Systematic Review and Meta-Analysis. *International Journal of Environmental Research and Public Health*, 19. doi:10.3390/ijerph192417075
- Kaya, H., Turan, Y., Akbal, S., Tosun, K., Aksoy, E., Tunalı, Y., & Aydın, G. Ö. (2016). The effect of nursing care protocol on the prevention of central venous catheter-related infections in neurosurgery intensive care unit. *Applied Nursing Research*: ANR, 32, 257–261. doi:10.1016/j.apnr.2016.08.006
- Ghafoor, Yaqoob, A., Bilal, A., & Ghafoor, S. (2021). Positive Impact of Nurses on Infection Control and Practices Prevention Regarding Affect the Clinical Environment. Saudi Journal of Nursing and Health Care. doi:10.36348/sjnhc.2021.v04i04.004

Gijare, M. (2012). EFFECTIVENESS OF TEACHING ON INFECTION CONTROL PRACTICES AMONG HEALTH CARE PROFESSIONALS. Retrieved from https://consensus.app/papers/effectiveness-of-teaching-on-infection-control-practices-gijare/f453a6ed647a599f9cda27f3ea14acd9/

Albarmawi, M., Hadid, L. A., Alnjadat, R., & Aljabery, A. (2024). A multi-institute, follow-up, observational study measuring nursing students' adherence to infection prevention and control protocols in Saudi Arabia. *Frontiers in Medicine*, 10. doi:10.3389/fmed.2023.1282723

Zhafarina, Z., &Hutahaean, S. (2023). Relationship between Nurse Performance and Implementation of Infection Prevention and Control at Hospital X Bogor, Indonesia. *INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH AND ANALYSIS*. doi:10.47191/ijmra/v6-i7-37

Assariparambil, A., Nayak, S., Sugunan, A., Mukhopadhyay, C., Shankar, R., Devi, E., & George, A. (2020). Structure, staffing, and factors affecting infection control nurses: Hospital based exploratory survey- A study protocol. *Journal of Advanced Nursing*. doi:10.1111/jan.14658

Ellis, S. (2012). Role of emergency nurses in controlling infection. *Emergency Nurse : The Journal of the RCN Accident and Emergency Nursing Association*, 20 8, 16–21. doi:10.7748/EN2012.12.20.8.16.C9479

Driscoll, B., & Evans, D. (2022). Nursing Infection Control Practice Adherence, Related Barriers, and Methods of Intervention. *JONA: The Journal of Nursing Administration*, *52*, 132–137. doi:10.1097/NNA.0000000000001120 Kaur, J., Stone, P., Travers, J., Cohen, C., & Herzig, C. (2017). Influence of staff infection control training on infection-related quality measures in US nursing homes. *AJIC (American Journal of Infection Control)*, *45*, 1035. doi:10.1016/j.ajic.2017.04.285

El-Houfey, A., & Ammar, M. (2014). *Nursing and infection control strategies*. Retrieved from https://consensus.app/papers/nursing-and-infection-control-strategies-el-houfey-ammar/50e44949def65ef2994e5572fa1fc01f/

汪建军. (2014). The effect of high-quality nursing management in the control of hospital infects. *International Journal of Nursing*, 33, 2312–2314. doi:10.3760/CMA.J.ISSN.1673-4351.2014.09.026

Heilbrunn, E., Calo, W., Francis, E., Kong, L., Hogentogler, E., Fisher, A., ... Kraschnewski, J. (2022). PROJECT ECHO FOR NURSING HOMES: A PATIENT-CENTERED, RCT TO IMPLEMENT INFECTION CONTROL BEST PRACTICES IN NHS. *Innovation in Aging*, *6*, 232–232. doi:10.1093/geroni/igac059.920

Minahan, C. (2020). Infection prevention and control practices as reported by registered nurses and nurse midwives in 13 government hospitals in Cambodia. Retrieved from https://consensus.app/papers/infection-prevention-and-control-practices-as-reported-by-minahan/32c99304a65d5be98c49a13d6000e310/