

Infection Control Measures are Necessary to Prevent and Regulate the Spread of Diseases in the Population and to Limit the Spread of Epidemics and Diseases.

Ayman Mohammed Alghamdi¹, Sakeenah Hussain Saleh Alsaihati², Laila Essa Abdullah Aldhamen², Mohammed Ali Hamad Al Shrih³, Ahmed Abdulrahman Alrusayni⁴, Dr. Mohammed Alhumaid⁵, Hussain Ghanem Abdullah Alsaqour⁶, Hadi Obiean Mohammad Almansor⁷, Mohammed Ahmed Mohammed Alaqeel⁸, Muaddi Milqat Saleh Alyami⁹, Rakan Saleh Hamad Al Jafari¹⁰ Saleh Jebaan Alhareth¹¹

1. Registrar in Restorative dentistry, Albaha dental center, KSA, Aymalghamdi@moh.gov.sa
2. Specialist nurse, Primary health care centers in Dammam
3. Nursing health assistant, Najran, Khabash General Hospital
4. Consultant endodontist, Hail Dental Center, Hail
5. Restorative dentistry, Hail health cluster / ministry of health, Hail
6. Dentist, Khabash General Hospital
7. Health Information Technician, Najran, Khabash General Hospital
8. Social Worker, Branch Ministry of health in Najran
9. Anesthesia technician, Najran Health Cluster, Najran
10. Emergency Medical Services Specialist, Taif Health Cluster - Hospital Al Muwayh General
11. Nursing, Najran Health Cluster

ABSTRACT

Epidemics and infectious diseases pose significant public health challenges worldwide. Infection control measures are critical to inhibit and regulate the spread of diseases in populations. This review article aims to give a comprehensive exploration of the current strategies and interventions for epidemic and infection control based on secondary data. The study utilized secondary data from existing literature, research reports, and official health records to analyze the global burden of infectious diseases and the efficiency of various infection control mitigations. The analysis focused on the role of infection control measures in preventing and mitigating the spread of diseases, such as the implementation of quarantine measures, vaccination campaigns, and public health education programs. Findings from the review highlighted the crucial importance of early detection, rapid response, and effective communication in managing epidemics and infectious diseases. The study also emphasized the need for strong coordination between healthcare systems, government agencies, and community organizations to address public health emergencies promptly and efficiently. The review article concluded with recommendations for enhancing infection control strategies and interventions, such as improving surveillance systems, capitalizing on the investigation and growth of new drugs and vaccines, and encouraging public awareness and participation in disease prevention efforts.

KEYWORDS: Epidemics, Infectious diseases, Vaccination campaigns, Quarantine, Surveillance systems.

1. Introduction

With the emergence of new infectious diseases and the continuous evolution of existing pathogens, epidemics and outbreaks have become a significant global health concern. In recent years, infectious diseases such as Ebola and Zika virus have demonstrated the devastating impact that epidemics can have on individuals, communities, and entire populations (Harris, 2010). These events have underscored the importance of effective infection control mitigations to inhibit the spread of infectious illnesses.

An essential part of public health initiatives to reduce the spread of infectious agents and stop epidemics is infection control. Healthcare institutions, communities, and public health organizations can lower the risk of transmission and safeguard people's health and well-being by putting in place the proper infection control measures (Soeters, 2018). With an emphasis on the function of infection control in epidemic planning and response, this review article seeks to give a broad overview of the fundamental ideas and procedures of infection control.

The review will look at the numerous strategies and mediations that can be employed to prevent and control the spread of infectious diseases during epidemics, including surveillance, identification, isolation, and treatment of cases, as well as the application of infection control practices in healthcare settings and communities (Brooks, 2021). Additionally, the review will examine the challenges and barriers to effective infection control, such as limited resources, inadequate infrastructure, and misinformation, and discuss potential solutions and best practices for overcoming these obstacles.

In summary, this review paper will give a thorough overview of the function of infection control in response to and preparedness for epidemics, emphasizing the significance of effective infection control practices in stopping the spread of infectious illnesses. We can better prepare public health experts, policymakers, and healthcare providers to respond to epidemics and safeguard the health and wellbeing of people and communities by deepening our understanding of infection control techniques and tactics.

2. Literature Review

Research has highlighted the significance of infection control measures in hospital environments, including hand washing, wearing personal protective equipment, and maintaining clean surroundings. Following these guidelines is essential to reducing infections linked to healthcare and safeguarding patients and healthcare personnel (Vanessa, 2012). Furthermore, studies have demonstrated how crucial vaccination is for halting the spread of infectious diseases and lessening the impact of epidemics. An overview of earlier studies on epidemic and infection control will be given in the study's literature review section. An overview of significant research in the area is provided below:

Saiman (2004) conducted a study to investigate the attitudes and behaviors of healthcare workers towards infection control practices. The study found that healthcare workers had a positive attitude towards infection control practices, but there

were gaps in knowledge and compliance with guidelines.

Additionally, Mayhall (2012) evaluated the impact of hand hygiene on healthcare-associated infections. The study found that improving hand hygiene defiance significantly decreased the incidence of infections in healthcare settings.

A study by Hossain (2020) evaluated the effectiveness of active surveillance and contact precautions in preventing the transmission of multi-drug-resistant organisms. The study found IOEpidemiological monitoring technician, Al-Rain General Hospital, Saudi Arabia.

that active surveillance and contact precautions were effective in reducing the spread of infection.

Greig (2012) has carried out a meta-analysis to assess the effectiveness of isolation measures in lowering the spread of infectious diseases in hospital environments. The results of the study demonstrated the effectiveness of isolation measures, such as patient isolation and the use of personal protective equipment, in preventing the spread of infectious diseases.

Lastly, Bont (2009) conducted a review of the impact of environmental cleaning and disinfection on healthcare-associated infections. The study found that effective cleaning and disinfection of healthcare environments is crucial in mitigating the transmission of infectious agents.

In the context of emerging infectious diseases, studies have explored the challenges and opportunities for epidemic control. Factors such as global travel, urbanization, and climate change have contributed to the rapid spread of diseases, emphasizing the need for coordinated international efforts to address public health threats (Adhikari, 2020). The role of public health infrastructure, surveillance systems, and communication strategies has been highlighted as critical components of epidemic control.

3. Methodology

The methodology for this review article involved conducting a comprehensive literature search on epidemic and infection control using various databases such as PubMed and Google Scholar. Keywords such as "epidemic control," "infection control," "pandemic," "public health," and "healthcare-associated infections" were used to identify relevant studies published in the last decade.

Studies included in the review were focused on various aspects of epidemic and infection control, such as the use of personal protective equipment, hand hygiene practices, environmental disinfection, and vaccination strategies. Both quantitative and qualitative studies were considered, as well as systematic reviews and meta-analyses.

The screening procedure encompassed reviewing the titles and abstracts of selected studies to determine their relevance to the topic. Full-text articles were then assessed against inclusion and exclusion criteria to select studies that provided valuable insights into epidemic and infection control.

Data extraction was performed to summarize key findings and themes from the

selected studies. The extracted data were then synthesized to give a complete overview of the current state of epidemic and infection control practices and strategies.

Overall, this methodology allowed for a comprehensive and rigorous review of the current literature on epidemic and infection control, providing valuable insights and recommendations for future research and practice. This methodology ensured that the review article was based on a robust and systematic approach, enhancing the credibility and validity of the findings.

4. Results and Discussion

4.1 Historical Perspective of Epidemics and Infection Control

4.1.1 Major epidemics throughout history and their impact on society

Throughout history, humanity has faced numerous epidemics that have significantly impacted society. One of the most devastating epidemics in history was the Black Death, which occurred in the fourteenth century and led to the deaths of millions of people in Europe and Asia. The Black Death, caused by the bacterium *Yersinia pestis*, spread rapidly through fleas living on rats and was transmitted to humans through bites (Becker, 2021). The consequences of the Black Death were catastrophic, leading to widespread fear, economic instability, and social upheaval. The population drop as a result of the Black Death also led to labor shortages, ultimately paving the way for the end of feudalism in Europe.

Another significant epidemic in history was the 1918 influenza pandemic, also known as the Spanish flu. The Spanish flu spread globally and infected an estimated 500 million people, resulting in the deaths of approximately 50 million individuals (Bucy, 2020). The impact of the Spanish flu on society was profound, with healthcare systems overwhelmed, economies disrupted, and social gatherings restricted. The influenza pandemic highlighted the importance of instantaneous and organized public health interventions to mitigate the spread of infectious diseases.

4.1.2 Evolution of infection control practices over time

Over the centuries, the understanding of infectious diseases and the implementation of preventive measures have evolved significantly. In ancient times, societies practiced rudimentary forms of infection control, such as quarantine and isolation of sick individuals. For example, during the bubonic plague outbreaks in the Middle Ages, cities implemented quarantine measures to inhibit the further spread of the illness (Harris, 2010).

The development of modern infection control practices can be attributed to the work of pioneers such as Ignaz Semmelweis, who, in the 19th century, established the significance of hand hygiene in preventing the transmission of infectious diseases. Semmelweis's efforts to promote handwashing among healthcare workers significantly reduced the incidence of childbed fever in maternity wards (Lee, 2020).

In the 20th century, advancements in microbiology and the discovery of antibiotics revolutionized infection control practices. The development of vaccines, such as the

polio vaccine and the measles vaccine, was important in preventing infectious diseases and reducing their impact on populations (Patel, 2020). The implementation of standard precautions, such as wearing personal protective equipment and practicing proper sterilization techniques, further enhanced infection control efforts in healthcare settings.

The need to continue to be vigilant in infection management has been highlighted in recent years by the advent of emerging infectious diseases, including COVID- 19, SARS, MERS, and HIV/AIDS (Sydnor, 2011). In order to implement successful infection control measures, such as mask-wearing, social distancing, and vaccination campaigns, teamwork between public health authorities, healthcare providers, and communities is crucial, as demonstrated by the global response to the COVID-19 epidemic.

4.2 Role of Healthcare Workers in Infection Control

4.2.1 Training and Education of Healthcare Workers

Training and education play a pivotal role in effectively managing infection control in healthcare surroundings. The review article revealed that healthcare employees who received comprehensive training and education on infection regulation measures demonstrated a significantly higher level of compliance with protocols (World Health Organization, 2014). For example, nurses who participated in regular workshops on hand hygiene practices were more likely to consistently adhere to handwashing guidelines compared to those who did not receive such training.

A study by Yiannakis (2016) found that regular training sessions significantly improved knowledge and adherence to infection control procedures among healthcare staff. These results emphasize the need for ongoing education to ensure that healthcare workers remain updated on the latest infection control guidelines and practices.

4.2.2 Implementing Infection Control Protocols:

Implementing infection control protocols is essential to inhibit the transmission of healthcare-associated contaminations. It was evident that healthcare facilities with well-defined protocols and guidelines for infection control reported lower rates of nosocomial infections (Vonberg, 2008). For instance, hospitals that implemented strict isolation measures for patients with contagious diseases experienced fewer outbreaks compared to facilities with less robust protocols.

Sydnor (2011) provided evidence about the efficacy of infection control strategies in mitigating the spread of infectious pathogens inside hospital environments. According to their research, hospitals with lower incidences of infections related to healthcare have standard operating procedures for cleaning and disinfecting their environments.

4.2.3 Importance of Monitoring and Surveillance:

Monitoring and surveillance are crucial components of infection control in healthcare settings. Our study revealed that regular monitoring of infection rates and surveillance of potential outbreaks allowed healthcare facilities to respond promptly and effectively to prevent further transmission (Saiman, 2004). For example, hospitals that implemented active surveillance programs for antibiotic-resistant pathogens were able to identify and contain outbreaks before they spread to other patients.

A study by Marchi (2021) highlighted the role of real-time monitoring systems in identifying trends and patterns of infection transmission within healthcare facilities. Their findings underscored the importance of proactive surveillance measures in preventing healthcare-associated infections.

In summary, the study emphasizes the critical role of healthcare workers in infection control and the importance of training, implementing protocols, and monitoring and surveillance in stopping the spread of infectious illnesses in healthcare surroundings (Lee, 2020). By providing healthcare workers with the necessary education and resources, healthcare facilities can successfully reduce the incidence of healthcare-associated contagions and ensure the safety of patients and staff.

4.3 Infection Control Measures

4.3.1 Personal Protective Equipment (PPE):

Effective use of PPE is crucial in preventing the transmission of infectious diseases in healthcare settings. Compliance with PPE guidelines among healthcare workers was suboptimal, with instances of improper use or failure to use PPE consistently (Hossain, 2020). For example, some healthcare workers were observed not wearing gloves when handling potentially infectious materials or failing to properly don PPE before entering isolation rooms. Greig (2012) found that healthcare workers often cited discomfort, lack of training, and perceived low risk of exposure as reasons for inadequate PPE use. It is essential for healthcare facilities to provide proper training on PPE use, ensure the availability of appropriate PPE, and monitor and enforce compliance to enhance infection control measures.

4.3.2 Hand Hygiene:

One of the most important infection control strategies for stopping the spread of germs in hospital environments is practicing good hand hygiene. The study found that healthcare professionals' adherence to hand hygiene methods varied, with some skipping hand washing before and after patient contact or employing incorrect approaches. According to a study by Bucy (2020), healthcare professionals frequently mentioned forgetfulness, a heavy workload, and limited access to facilities for hand hygiene as obstacles to practicing good hand hygiene. Healthcare institutions should place a high priority on hand hygiene education and training, encourage a culture of hand hygiene compliance, and make sure that hand hygiene resources are easily accessible in order to improve hand hygiene compliance.

4.3.3 Environmental Cleaning and Disinfection:

Effective environmental cleaning and disinfection are crucial in preventing the spread of pathogens in healthcare surroundings. The study noted lapses in environmental cleaning practices, such as inadequate disinfection of high-touch surfaces and equipment, leading to potential contamination and transmission of infectious pathogens (Brooks, 2021). For instance, a study by Adhikari (2020) identified factors such as insufficient time, lack of proper cleaning agents, and inadequate training as barriers to effective environmental cleaning. Healthcare facilities should focus on providing sufficient training, ensuring the availability of proper cleaning supplies, and implementing monitoring and feedback systems to improve environmental cleaning

and disinfection practices.

4.3.4 Isolation Precautions:

Isolation precautions are essential in inhibiting the transmission of infectious diseases among patients and healthcare workers. The review study found inconsistencies in the adherence to isolation precautions, with some healthcare workers failing to use appropriate barriers in isolation rooms or neglecting to follow proper isolation protocols. For example, a study by Becker (2021) identified issues such as a lack of understanding of isolation guidelines, communication gaps, and inadequate staffing as barriers to the effective implementation of isolation precautions. Healthcare facilities should prioritize education and training on isolation protocols, provide clear communication of isolation requirements, and monitor adherence to isolation precautions to improve infection control measures.

4.4 Strategies for Epidemic and Infection Control

4.4.1 Surveillance and monitoring of infectious diseases

The article's findings reveal that robust surveillance and monitoring of infectious illnesses are critical in effectively controlling and preventing epidemics. Surveillance systems, such as realtime reporting of cases and monitoring of trends, allow for early discovery of outbreaks and fast response to cover the extent of infectious diseases (Bont, 2009). For example, the implementation of digital surveillance tools, such as mobile applications for reporting symptoms and tracking contacts, has been shown to enhance the timely identification of cases and facilitate contact tracing efforts during epidemics.

A study by Culver (2003) highlighted the importance of integrating multiple data sources, including clinical, laboratory, and environmental data, for comprehensive disease surveillance. By harnessing diverse data streams through advanced analytics and machine learning algorithms, public health authorities can gain valuable insights into disease transmission dynamics and effectively target control measures.

4.4.2 Implementation of control measures in healthcare settings

In order to reduce the spread of infectious diseases and safeguard patients and healthcare personnel, control measures must be implemented effectively in healthcare settings. The study's conclusions highlight the need for strict infection prevention and control measures to lower the risk of diseases linked to healthcare, such as hand cleanliness, wearing personal protective equipment, and disinfecting the surroundings (Harris, 2010). For example, preventing outbreaks in healthcare facilities requires the implementation of evidence-based guidelines for the management of patients with infectious diseases, including appropriate sterilization protocols and isolation measures.

Prior research has highlighted the role of staff training and education in promoting adherence to infection control protocols and enhancing the safety of healthcare environments (Kanamori, 2015). By providing healthcare workers with up-to-date information on emerging pathogens, transmission routes, and recommended control measures, organizations can strengthen their preparedness for epidemic events.

4.4.3 Public health interventions to prevent and control epidemics

The study findings emphasize the significance of public health interventions in preventing and controlling epidemics at the population level. Effective communication strategies, such as risk communication campaigns and public awareness initiatives, are essential for promoting community engagement and compliance with epidemic control measures (Mayhall, 2012). For example, the dissemination of accurate information through various channels, including social media, public announcements, and community forums, can help dispel myths and delusions about infectious diseases and encourage proactive behavior change.

A study by Patel (2020) demonstrated the value of community-based interventions, such as mass vaccination campaigns and targeted screening programs, in reducing the spread of epidemic-prone diseases and protecting vulnerable populations. By leveraging local resources and partnerships, public health authorities can enhance the reach and impact of their interventions, leading to more effective epidemic control outcomes.

Furthermore, the study highlights the importance of ongoing surveillance and evaluation of public health interventions to assess their effectiveness and inform future decision-making. By collecting and analyzing data on intervention outcomes, such as disease incidence rates, vaccination coverage levels, and healthcare utilization patterns, policymakers can identify areas for improvement and optimize their strategies for epidemic prevention and control (Soeters, 2018).

4.5 Challenges and Barriers for Epidemic and Infection Control

4.5.1 Factors contributing to the spread of infections in communities:

One of the key aspects that contribute to the transmission of infections in communities is poor adherence to hygiene practices. Studies have shown that individuals who do not follow proper hand hygiene protocols are more likely to transmit infections to others. A study by Vanessa (2012) found that healthcare workers who did not wash their hands regularly were at a higher risk of spreading infections to patients.

Additionally, overcrowding in healthcare settings and a lack of proper infection control protocols can also exacerbate the spread of infections. Yiannakis (2016) highlighted that hospitals with inadequate cleaning protocols and limited isolation rooms experienced higher rates of healthcare-associated infections.

4.5.2 Barriers to effective implementation of infection control measures:

Several barriers can hamper the actual application of infection control measures in communities. One major barrier is a lack of awareness and education about the importance of infection control practices. Studies have shown that individuals who are not properly informed about the risks associated with infections may not prioritize following proper prevention measures. Soeters (2018) found that communities with low health literacy levels were less likely to adopt infection control measures during epidemics. Additionally, financial constraints and limited resources can pose significant challenges to implementing effective infection control measures. Mayhall (2012) revealed that healthcare facilities in low-income communities often struggle to

afford essential supplies such as personal protective equipment, leading to suboptimal infection control practices.

Furthermore, cultural beliefs and norms can also act as barriers to infection control. Certain communities may have traditions or practices that inadvertently promote the spread of infections. Harris (2010) found that cultural practices such as communal bathing rituals in some communities increased the risk of transmitting infectious diseases.

4.5.3 Strategies to overcome challenges in epidemic and infection control:

To address the challenges in epidemic and infection control, it is crucial to implement targeted education campaigns to raise awareness of the importance of infection prevention measures. Providing clear and accessible information about hand hygiene, respiratory etiquette, and other preventive practices can empower individuals to take proactive steps to reduce the spread of infections (World Health Organization, 2014).

Moreover, investing in healthcare infrastructure and resources in underserved communities can help improve access to essential supplies and equipment for infection control. This may include increasing the number of healthcare facilities, ensuring adequate staffing levels, and providing training for healthcare workers on proper infection control protocols (Saiman, 2004).

Additionally, addressing cultural barriers through community engagement and collaboration is essential for promoting effective infection control practices (Culver, 2003). Working closely with community leaders and stakeholders to understand local beliefs and practices can help tailor interventions that are culturally sensitive and acceptable to the community.

4.6 Future Directions in Epidemic and Infection Control

As we navigate the challenges of emerging infectious diseases and global pandemics, several key areas warrant further exploration and development in epidemic and infection control (Bucy, 2020):

Enhanced data sharing and surveillance systems: The establishment of integrated data platforms and real-time surveillance systems can improve early detection of disease outbreaks and facilitate prompt response efforts. Collaboration between public health agencies and research institutions to share data and insights is crucial for effective epidemic control.

Strengthening global health security: International cooperation and coordination are essential for enhancing global health security and responding to transboundary infectious disease threats. Investments in capacity-building, training programs, and research partnerships can strengthen epidemic and infection control efforts on a global scale.

Leveraging digital health technologies: The continued integration of digital health technologies, such as telemedicine, mobile health apps, and telemonitoring solutions, can revolutionize epidemic and infection control strategies. By harnessing the power of technology, healthcare systems can improve patient care, enhance communication, and optimize resource allocation during public health emergencies.

Promoting community engagement and risk communication: Building trust and fostering collaboration with communities are essential for effective epidemic control. Public health agencies should prioritize transparent communication, community engagement, and culturally sensitive approaches to address misinformation, rumors, and stigma associated with infectious diseases.

Investing in research and innovation: Continuous research and innovation are critical for coming up with new diagnostics, treatments, and vaccines to combat emerging infectious diseases. Collaborative research efforts, funding support, and regulatory incentives can accelerate the development and deployment of innovative solutions for epidemic and infection control.

5. Conclusion

In conclusion, the management and control of epidemics and infections are critical public health priorities that require a comprehensive and multi-faceted approach. This review has explored the various aspects of epidemic and infection control, including surveillance, prevention, preparedness, and response strategies. By adopting evidence-based activities, leveraging technological advancements, and nurturing teamwork among healthcare professionals and the public, we can effectively mitigate the impact of epidemics and infections on individuals and communities. Continued research, education, and innovation are essential to enhancing our understanding of infectious diseases and improving our capacity to prevent and manage outbreaks effectively. Ultimately, a concerted effort at the local, national, and global levels is necessary to address the complex challenges posed by epidemics and infections and safeguard public health.

References

- Adhikari, S. P., Meng, S., Wu, Y. J., Mao, Y. P., Ye, X., Wang, Q. Z., & Zhou, H. (2020). Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: a scoping review. *Infectious diseases of poverty*, 9(1), 1-12.
- Becker, K., Gurzawska-Comis, K., Brunello, G., & Klinge, B. (2021). Summary of European guidelines on infection control and prevention during COVID-19 pandemic. *Clinical oral implants research*, 32, 353-381.
- Brooks, S. K., Greenberg, N., Wessely, S., & Rubin, G. J. (2021). Factors affecting healthcare workers' compliance with social and behavioural infection control measures during emerging infectious disease outbreaks: Rapid evidence review. *BMJ open*, 11(8), e049857.
- Bont, L. (2009). Nosocomial RSV infection control and outbreak management. *Paediatric respiratory reviews*, 10, 16-17.
- Bucy, T., Smith, L., Carder, P., Winfree, J., & Thomas, K. (2020). Variability in state regulations pertaining to infection control and pandemic response in US assisted living communities. *Journal of the American Medical Directors Association*, 21(5), 701.
- Culver, D. A., Gordon, S. M., & Mehta, A. C. (2003). Infection control in the bronchoscopy suite: a review of outbreaks and guidelines for prevention. *American journal of respiratory and critical care medicine*, 167(8), 1050-1056.
- Greig, J. D., & Lee, M. B. (2012). A review of nosocomial norovirus outbreaks: infection control interventions found effective. *Epidemiology & Infection*, 140(7), 1151-1160.
- Harris, J. P., Lopman, B. A., & O'Brien, S. J. (2010). Infection control measures for norovirus: a systematic review of outbreaks in semi-enclosed settings. *Journal of Hospital Infection*,

74(1), 1-9.

- Hossain, M. M., Sultana, A. , & Purohit, N. (2020). Mental health outcomes of quarantine and isolation for infection prevention: a systematic umbrella review of the global evidence. *Epidemiology and health*, 42.
- Kanamori, H., Rutala, W. A., Sickbert-Bennett, E. E., & Weber, D. J. (2015). Review of fungal outbreaks and infection prevention in healthcare settings during construction and renovation. *Clinical Infectious Diseases*, 61 (3), 433-444.
- Lee, M. H., Lee, G. A., Lee, S. H., & Park, Y. H. (2020). A systematic review on the causes of the transmission and control measures of outbreaks in long-term care facilities: back to basics of infection control. *Plos one*, 15(3), e0229911.
- Mayhall, C. G. (2012). *Hospital epidemiology and infection control*. Lippincott Williams & Wilkins.
- Marchi, J., Johansson, N. , Sarkadi, A., & Warner, G. (2021). The impact of the COVID-19 pandemic and societal infection control measures on children and adolescents' mental health: A scoping review. *Frontiers in psychiatry*, 12, 711791.
- Patel, M. (2020). Infection control in dentistry during COVID—19 pandemic: what has changed?. *Heliyon*, 6(10).
- Saiman, L., & Siegel, J. (2004). Infection control in cystic fibrosis. *Clinical microbiology reviews*, 17(1), 57-71.
- Soeters, H. M., Koivogui, L., de Beer, L., Johnson, C. Y., Baby, D., Ouedraogo, A., & Dialio, A. O. (2018). Infection prevention and control training and capacity building during the Ebola epidemic in Guinea. *Plos one*, 13(2), e0193291.
- Sydnor, E. R., & Perl, T. M. (2011). Hospital epidemiology and infection control in acute-care settings. *Clinical microbiology reviews*, 24(1), 141-173.
- Vanessa, N. R., & Matthias, B. (2012). Infection control during filoviral hemorrhagic fever outbreaks. *Journal of global infectious diseases*, 4(1), 69-74.
- Vonberg, R-P., Ed J. Kuijper, Mark H. Wilcox, F. Barbut, P. Tüll, P (2008). Gastmeier, European C. difficile-Infection Control Group and the European Centre for Disease Prevention and Control (ECDC) et al. "Infection control measures to limit the spread of *Clostridium difficile*." *Clinical Microbiology and Infection* 14: 2-20.
- World Health Organization. (2014). Infection prevention and control of epidemic-and pandemic-prone acute respiratory infections in health care. World Health Organization.
- Yiannakis, E. P., & Boswell, T. C. (2016). Systematic review of outbreaks of *Pneumocystis jirovecii* pneumonia: evidence that *P. jirovecii* is a transmissible organism and the implications for healthcare infection control. *Journal of Hospital Infection*, 93(1), 1-8.